PUBLIC HEALTH REPORTS

VOL. 38

JUNE 15, 1923

No. 24

The Effect of "Arsenic-Fastness" of Trypanosoma Equiperdum on the Ratios between the Parasiticidal Values of Arsphenamine and Neoarsphenamine.

By G. C. Lake, Passed Assistant Surgeon, and T. F. Probey, Junior Pharmacologist, Hygienic Laboratory, United States Public Health Service.

Ratios obtained by various workers between the parasiticidal values of arsphenamine and neoarsphenamine in the treatment of experimental trypanosomiasis vary from 1.7 to about 2.2 in favor of arsphenamine. References to such work are given by Voegtlin and Miller, who have conducted extensive experiments along this line. So far as we are aware, the ratios reported apply to normal strains of trypanosomes as distinguished from "arsenic-fast" strains.

"Arsenic-fastness" or "arsenic resistance" is an acquired condition whereby a parasite is enabled to withstand several times the dose of an arsenical which originally would have destroyed it. The condition was first recognized and studied by Ehrlich and is one with which all workers with experimental trypanosomiasis are familiar.

In connection with the testing of various arsphenamines for their trypanocidal activity, the strain of trypanosomes used has occasionally become "arsenic-fast," though we could not explain just why the condition developed. To prevent its occurrence, the rats carrying the strain should be completely isolated from rats used in toxicity experiments with arsenicals, and every precaution should be taken to prevent their assimilating arsenic from any source.

Recently, just as we had a series of rats ready for treatment, we discovered that the strain of Tr. equiperdum used had become "arsenic-fast." We decided to discard the strain, but thought it would be of interest, and save the experiment from being a total loss, to determine whether the ratio between the minimal effective doses of neoarsphenamine and arsphenamine would be the same as for a normal strain of Tr. equiperdum. The ratio obtained in this test was 5:4 in favor of neoarsphenamine, whereas we had expected to obtain a ratio of about 2:1 in favor of arsphenamine. This result led to the experiments herein described.

The method used in carrying out the tests is essentially that first described by Voegtlin and Smith 2 and which is also given in the

¹ The Relative Parasiticidal Value of Arsphenamine and Neoarsphenamine, Public Health Reports, 37, p. 1627. Reprint No. 766.

Pharmacol. & Exper. Therap., 1920, Vol. XV, 453; ibid, 1921, Vol. XVI, 449.

June 15, 1923. 1348

work of Voegtlin and Miller already referred to, except that three rats were used on each dose instead of five. The four strains of Tr. equiperdum referred to as "arsenic-fast," Nos. 1, 2, and 3, and "normal" strain, are not separate and distinct strains, but all came from the same common strain. "Arsenic-fast" strains Nos. 1 and 2 had accidentally become arsenic-resistant within a short time, a few weeks at most, while "arsenic-fast" strain No. 3 had been intentionally rendered "arsenic-fast" in the division of pharmacology of the Hygienic Laboratory over two years previously by passing it through rats previously treated with arsenic. "Normal" strain is one obtained about March 15, 1923, from the Department of Agriculture strain, which may be regarded as the parent strain of the several strains used at the Hygienic Laboratory during the past few years.

To obtain uniform results as nearly as possible, a single lot each of arsphenamine and neoarsphenamine, on which we have much experimental data, was selected and used in all experiments except the last four, in which, to check further the comparative value of neoarsphenamine No. 1, three other lots of neoarsphenamine were substituted.

The results obtained are very briefly summarized in the accompanying table. In each of the experiments 18 rats were used, 9 being treated with arsphenamine and 9 with neoarsphenamine. Three doses were employed with three rats on each dose; the intermediate dose being the estimated M. E. D. on the basis of previous experiments, and the other two doses being 50 per cent higher and 50 per cent lower. In all, 270 rats were used. The results are, of course, only approximate. The originators of the method regard a variation of approximately 50 per cent between successive doses as all that can be expected for the accuracy of the test.

Summary of experimental data showing the ratio between minimal effective doses of arsphenamine and neoarsphenamine on "arsenic-fast" and "normal" strains of Trypanosoma equiperdum.

Date of test (1923).	Strain of Tr. equiperdum.	Arsphena- mine.	Approxi- mate M. E. D. obtained.	Neoars- phenamine.	Approxi- mate M. E. D. obtained.	ratio of
Feb. 28	Arsenic-fast No. 1	No. 1	50	No. 1	40	5:4
Mar. 6	do	No. 1	50	No.1	40	5:4 5:4
Mar. 15	do	No.1	50	No.1	50	1:1
Mar. 20	Arsenio-fast No. 2	No. 1	50	No. 1	40	5:4
Mar. 23	do	No. 1	50	No. 1	40	5:4 1:1
Mar. 20	Arsenic-fast No. 3	No. 1	40	No. 1	40	
Mar. 30	do	No. 1	40	No.1	50	4:5
Apr. 3	do	No. 1	40	No.1	40	1:1
Apr. 18	"Normal"	No. 1	4	No.1	15	1:3. 78
Apr. 19	do	No. 1		No. 1	12	1:3
Apr. 24	do	No. 1	4	No.1	12	1:3
Apr. 25	do	No. 1	3	No. 2	11	1:3.6
Apr. 26	do	No. 1	3	No.3	12	1:4
May 1	do	No. 1	3	No. 4	24 24	1:8
May 9	do	No. 1	3	No. 4	24	1:8

The results obtained from the "arsenic-fast" strains show that if there is any difference between the activity of arsphenamine No. 1 and neoarsphenamine No. 1 it is in the favor of the latter; however, it seems best to regard the ratio between the two as approximately 1 to 1. The minimal lethal dose of this arsphenamine is about 200 mgm. per kilo, and of the neoarsphenamine about 400 mgm. per kilo. Regarding the minimal effective dose of both preparations as 50 mgm. per kilo, the therapeutic ratio $\frac{M. L. D.}{M. E. D.}$ of the arsphenamine would therefore be 4, and of the neoarsphenamine 8. It is rather striking that the degree of "arsenic-fastness" was nearly the same with all three strains. This may be due to chance, or it seems possible that in each case the strain may have reached the maximum degree of fastness.

The results obtained with the normal strain show an average minimal effective dose for arsphenamine No. 1 of about 4 mg. per kilo, and for neoarsphenamine No. 1 of about 12 mgm. per kilo; or, in other words, the arsphenamine is at least three times as effective as neoarsphenamine. Regarding the minimal effective dose of the arsphenamine as 4 and of the neoarsphenamine as 12, the therapeutic

. f

na

. 75

ratio $\frac{M.\ L.\ D.}{M.\ E.\ D.}$ for the arsphenamine would be 50 and for the neo-

arsphenamine 33. It will be noted that neoarsphenamines No. 2 and No. 3 gave approximately the same results as No. 1. These three lots represent highly effective preparations of neoarsphenamine, whereas No. 4 represents a neoarsphenamine of inferior therapeutic quality, requiring approximately double the amount of drug for the M. E. D. Compared with such a product, the arsphenamine used is about eight times as effective in milligrams per kilogram. It was thought when these experiments were begun that this arsphenamine was an average product, but these results and results obtained in other laboratories indicate that it is an exceptionally active preparation. Comparing the results obtained with the "normal" strain and those obtained with "arsenic-fast" strain, using the same arsphenamine and neoarsphenamine, we find that the neoarsphenamine which was only about one-third as effective as arsphenamine with the "normal" strain is fully as effective as the arsphenamine with the "arsenic-fast" strains. We can offer no explanation for this interesting phenomenon.

SUMMARY.

The minimal effective doses of a single lot each of arsphenamine and neoarsphenamine have been determined for three "arsenic-fast" strains of *Tr. equiperdum* and for one nonarsenic-fast, "normal," or

June 15, 1923. 1350

possibly arsenic-susceptible strain. All four strains were substrains from the same common strain.

With the "arsenic-fast" strains the minimal effective dose for this arsphenamine and neoarsphenamine was found to be about the same and not far from 50 mgm. per kilo, whereas with the "normal" strain the minimal effective dose for the same arsphenamine was found to be between 3 and 4 mgm. per kilo, and for the same neoarsphenamine about 12 mgm. per kilo.

No explanation is apparent as to why an "arsenic-fast" strain should be proportionately less resistant to arsphenamine than to

neoarsphenamine.

THE PRINCIPLES, UNDERLYING THE MOVEMENT OF BACIL-LUS COLI IN GROUND-WATER, WITH RESULTING POLLU-TION OF WELLS.¹

By C. W. Stiles, Professor of Zoology, Hygienic Laboratory, and Harry R. Crohurst, Sanitary Engineer, United States Public Health Service.

The pollution of the ground-water (or phreatic water) by privy wastes, and the possibility and method of extension of this pollution to wells, springs, and other water supplies, have been subjects of discussion, experiment, and public health legislation for many years and in various parts of the world; but the opinions which sanitarians have held on this general subject have been far from uniform, the results of experiments have been largely negative, and legislative

policies have been distinctly contradictory.

In connection with investigations by the United States Public Health Service into methods of disposal of privy wastes in rural districts, extensive and rigorously controlled experiments have been made which bear upon the subject at issue and especially upon the movement of bacteria, of fecal origin, in the ground-water. These studies have involved the experimental pollution of the ground-water (namely, the water in the saturated zone, which supplies wells and springs), have been correlated with the rise and fall of the ground-water table, the flow of ground-water, and the rainfall. Natural can material (human excreta from can type privies) was used as pollution material, Bacillus coli was taken as the bacterial test, and a dye (uranin) was utilized in tracing the movement of the water from the dosing trenches to the more than 400 experimental pipe wells which were arranged at intervals from the trenches and at various depths into ground-water.

The examination of thousands of water samples from the wells during a period of more than a year has resulted in very definite

¹ Abstract of part of Annual (1922-23) Report of the Board on Excreta Disposal presented to the conference of State health officers, Washington, D. C., May 17, 1923.

data which seem to express practically a natural law as applied to the movement of the bacteria in the field of fine sand in which the experiments were conducted. The results to date may be summarized as follows:

1. Pollution with fecal *Bacillus coli* has up to date been definitely and progressively followed in the ground-water for distances of 3, 6, 10, 15, 25, 35, 45, 50, 55, 60, and 65 feet from the trench in which the pollution was placed; uranin has been recovered from these same wells and has spread to other wells at 70, 75, 80, 85, 90, 95, 100, 110, and 115 feet from the pollution trench. The soil in question is a fine sand with an effective size of 0.13 mm.

2. The pollution has traveled these distances within a period of 187 days, or about 27 weeks, and only in the direction of the flow of the ground-water; no convincing evidence is present that the pollution has traveled against the flow of the ground-water or at right angles to it.

3. The pollution has traveled only in a thin sheet at the surface of the zone of saturation; there is no evidence at present that it has dispersed radially downward, and even when heavy pollution is recovered at the top, water from lower levels (in near-by deeper wells) is negative both for uranin and for B. coli.

4. As the ground-water level falls, owing to dry weather, the pollution tends to remain in the sand above the new (lower) ground-water level, namely, in the new capillary fringe.

5. There is no evidence which would justify a conclusion at present that either the bacteria or the uranin is carried or moves to any appreciable distance in the capillary fringe itself, and there is neither theoretical reason nor experimental evidence to justify a conclusion that either the bacteria or the uranin progresses in the dry, aerated intermediate belt (between the capillary fringe and the upper soil belt). All present evidence is to the effect that when the groundwater level falls the pollution remains practically stranded in the capillary fringe or in the intermediate belt—according to the degree of fall of the ground-water.

n

e

e

r

 \mathbf{d}

n

n

e

e

h

IS

ls

te

6. A rainfall of 1 inch results in a rise of 5 to 6 inches in the ground-water table (in the particular experimental area in question); and if this rise is sufficient to reestablish the zone of saturation up at the level of the stranded pollution, the bacteria and the uranin are again picked up and carried along farther in the direction of the ground-water flow until dry weather again intervenes to cause another fall of the ground-water level.

7. Thus the progressive (passive) movement and the stasis (stranding) of the pollution are intimately connected with, are dependent upon, and alternate with the rise and the fall of the ground-water level, and this latter factor is dependent upon the alternation of wet

June 15, 1923. 1352

weather (rainfall) and dry weather (lack of rain at the intake area of the ground-water table). Experiments are now under way to determine, if possible, whether pollution placed directly into a deeper level of the ground-water will travel up to the surface of the saturated zone.

8. In explaining these results, capillarity, filtration, and gravity

seem to come up for special consideration.

9. In one experiment the pollution traveled only 45 feet from September, 1922, to May, 1923, and remained stranded at this distance. Study of the formation of the ground revealed that under the belt of pollution there is an impervious or nearly impervious stratum of peatlike material, which gradually tilts upward distally from the pollution pit and forms a ground-water dam; the pollution traveled out on high ground-water to the dam, the ground-water level fell below the crest of the dam, and the pollution is now stranded, pending a rise of the ground-water table sufficient to produce a ground-water cascade which will carry the pollution over the crest of the dam.

10. The ultimate distance to which the pollution will be carried is dependent upon a number of complex and interlocking factors, namely, wet and dry weather, with resulting rise and fall of the ground-water; the length of each of these periods; the rate of the ground-water flow (depending upon the "head," which, in turn, is dependent upon the rainfall); and, obviously, also the factor of the viability of the organisms under conditions of moisture, pH, food

supply, etc., ad finem.

11. In another series of experiments human feces were buried in pits, in a locality of high ground-water, and covered with sawdust. Of five samples taken three years and two months after burial all were both macroscopically and microscopically recognizable as feces, but the odor had become somewhat musty; three of these samples were positive and two were negative for *Bacillus coli*; ova of *Ascaris lumbricoides* were recognizable in all five samples, but all 57 ova found

were dead.

12. The bearing of the foregoing results upon the intermittent pollution of wells, the location of water supplies, and the location of camps in peace or in war, will be evident to persons who are called upon for technical advice in these matters; the justification of the laws forbidding the use of abandoned wells for the disposal of excreta is self-evident; the possible effect of the custom (in some localities) of digging pits into ground-water (as advised by some persons) is obvious.

13. In protecting wells, special attention should be given not only to surface protection as is now generally recognized but also to a new element, namely, the danger zone which exists from the highest water level to about a foot below the lowest water level. A leak in the pipe in this region is potentially very dangerous, and all wells unprotected in this danger zone are to be considered as potentially unsafe.

14. In connection with the foregoing references to ground-water, the accompanying table is appended by the kind permission of Geologist Oscar E. Meinzer, of the United States Geological Survey; it is arranged from a manuscript which Professor Meinzer now has in press.

Classification of the subsurface water of the lithosphere.

[Arranged from a manuscript of Oscar E. Meinzer, United States Geological Survey.]

- 1 (13) A. Interstitial water, namely, water occurring in interstices or voids (in contrast to water in solid solution and to internal or magmatic water).
- 2 (10) A1. Suspended subsurface water (or vadose water), namely, water that exists in aerated zone.
- 3 (8, 9) I. Soil water, namely, water near enough to the surface to be withdrawn by evaporation or to be absorbed and transpired by plants.
- 4 (5) a. Water available for plant growth, i. e., water in excess of the wilting coefficient.
- 5 (4) b. Water not available for plant growth.
- 6 (7) 1. Water that can be removed by evaporation.
- 7 (6) 2. Water that can not be removed by evaporation (hygroscopic water).
- 8 (3, 9) II. Intermediate vadose water.
- 9 (3, 8) III. Fringe water, namely, water in the capillary fringe.

on little Tills

- 10 (2) A2. Ground-water (or phreatic water), namely, water in the saturated zone.
- 11 (12) I. Gravity ground-water.

e

e

e

d

n

11

.0

l-d

ıt

of

 \mathbf{d}

ta s) is

ly

st

- 12 (11) II. Retained water, i. e., ground water not under the control of gravity.
- 13 (1) B. Internal water, namely, water that may occur in the interior of the lithosphere where the pressure of overlying rocks is so great that voids can not exist.

PROVISIONAL MORTALITY AND BIRTH RATES, 1922.

ANNOUNCEMENT OF PROVISIONAL FIGURES MADE BY THE BUREAU OF THE CENSUS.

Provisional Mortality Figures.

Provisional mortality figures compiled by the Bureau of the Census, Department of Commerce, show slightly higher mortality rates for 1922 than for 1921. For the 33 States that are shown for both years, the 1922 mortality rate was 11.9 against a rate of 11.6 for 1921, the highest 1922 rate being 14.7 for Maine and the lowest 8.1 for Idaho.

1354

Death rates per 1,000 population for certain States.

[The 1922 figures are provisional.]

			Annu	al death	rate per	1,000 pe	pulation	for-		
State.			1921							
14	The year.	Fourth quar- ter.	Oct.	Nov.	Dec.	The year.	Fourth quar- ter.	Oct.	Nov.	Dec.
Total, States shown for both years 1	11.9	11.7	10.9	11.5	12.8	11.6	11.4	11.2	11.3	11.5
California. Colorado. Connecticut Delaware Florida	14. 1 13. 5 12. 0 13. 2 12. 2	13. 4 13. 2 11. 7 13. 1 13. 2	12.8 12.6 10.8 12.1 12.6	13.7 13.6 11.3 12.4 12.9	14.0 13.4 13.2 14.8 14.0	13. 2 11. 4 11. 4 13. 1 11. 8	13.6 11.8 11.2 11.3 12.0	12.3 11.7 10.8 10.9 11.2	13. 8 11. 4 11. 1 10. 7 12. 4	14. 12. 11. 12. 12.
GeorgiaIdahoIllinoisIndiana	10. 4 8. 1 11. 3 11. 9 10. 5	11. 2 8. 4 11. 0 11. 7 9. 8	10, 5 9, 3 10, 5 11, 0 9, 4	10.8 7.5 10.6 11.4 9.3	12.4 8.6 12.1 12.8 10.7	(2) (3) 11. 1 11. 9 10. 2	(*) (3) 11. 0 11. 8 10. 6	(1) (2) 11. 0 12. 0 10. 5	(2) (2) 10. 8 11. 7 10. 3	(2) (1) 11. 1 12. (1) 11. 1
KentuckyLouisiana Maine Maryland Massachusetts	10.7 11.3 14.7 13.6 12.8	10. 7 11. 7 14. 6 13. 3 13. 1	10. 0 11. 4 14. 0 12. 6 11. 7	11. 0 11. 8 14. 3 12. 7 13. 0	11. 2 12. 1 15. 7 14. 5 14. 6	10.5 11.0 14.0 13.6 12.2	10.3 11.2 13.8 13.0 12.1	10.3 11.5 13.5 13.5 11.5	10. 3 11. 5 13. 6 12. 6 12. 0	10.3 10.4 14.3 13.0 12.5
Michigan	11. 2 9. 5 10. 8 11. 2 8. 6	11. 4 9. 5 10. 6 10. 6 8. 0	10. 7 9. 1 10. 4 9. 9 7. 5	11. 2 8. 9 10. 3 10. 3 7. 7	12.3 10.4 11.1 11.8 8.7	11.6 9.4 11.1 10.8 8.2	11.0 9.0 11.1 - 11.1 7.5	10. 9 9. 1 11. 9 10. 9 7. 6	11. 0 9. 0 10. 7 11. 2 8. 1	11. 6 8.9 10. 6 11. 4 7. 6
Nebraska New Hampshire New Jersey New York North Carolina	9. 4 14. 6 12. 2 13. 0 11. 5	9, 2 14, 4 12, 1 12, 4 11, 3	8. 5 14. 0 10. 8 11. 5 10. 4	8. 9 14. 1 12. 3 12. 3 10. 9	10. 2 15. 3 13. 4 13. 6 12. 6	9. 2 13. 7 11. 7 12. 3 11. 3	9. 0 13. 7 11. 3 12. 0 10. 6	9.8 13.8 11.0 11.5 10.8	8. 8 14. 0 11. 1 11. 8 10. 4	9. 1 13. 4 12. 6 12. 6 10. 8
Ohio	11. 3 11. 5 12. 3 13. 1 12. 0 10. 8	11. 2 11. 4 12. 6 13. 2 12. 6 10. 6	10.6 10.8 11.4 12.2 11.7 10.1	10. 8 11. 4 12. 4 13. 5 12. 2 10. 3	12.3 11.9 14.1 14.1 13.9 11.4	11.3 10.4 12.4 12.6 11.9 10.7	11.3 .10.6 .12.0 .11.9 .11.4 .10.9	11.3 10.5 11.6 11.7 11.6 11.5	11.3 10.2 11.8 11.4 11.2 10.5	11. 4 11. 2 12. 7 12. 8 11. 5 10. 8
Utah Vermont Virginia Washington Wisconsin Wyoming	(3) 14.6 12.1 10.1 10.1 9.3	(3) 14.1 11.9 9.4 9.9 9.0	(3) 13.7 10.7 8.8 9.2 10.0	(3) 12.9 12.1 9.6 9.4 8.4	(3) 15.7 13.1 9.9 11.1	10. 4 14. 2 12. 2 9. 5 10. 5	9.9 14.0 11.6 9.8 9.9	9.5 14.0 11.3 9.8 10.1	9.5 13.4 11.6 9.7 9.9	10. 8 14. 7 12. 0 10. 0 9. 8

Includes District of Columbia.
 Admitted to registration area for 1922.
 Figures not shown if transcripts of deaths are not received for the quarter.

Provisional Birth Figures.

MARKET !

Provisional birth figures compiled by the Bureau of the Census show lower birth rates for 1922 than for 1921.

For the 24 States that are shown for both years, the 1922 birth rate was 22.7 against a rate of 24.4 for 1921, the highest 1922 rate being 30.2, for North Carolina, and the lowest, 18, for the State of Washington.

Birth rates per 1,000 population for certain States.

[The 1922 figures are provisional.]

			Ann	ual birth	rate per	1,000 pe	pulation	for—		
State.			1922			2		1921		
	The year.	Fourth quarter.	Oet.	Nov.	Dec.	The year.	Fourth quarter.	Oct.	Nov.	Dec.
Total, States shown for both years.1	22.7	21. 4	22.5	21.1	20.9	24. 4	23.3	23, 9	23. 2	22. 9
Cañfornia Connecticut Delaware Illinois Indiana	19. 8 21. 5 20. 6 20. 0 21. 4	19.8 20.0 18.4 18.7 20.6	19.9 20.7 18.7 19.8 21.8	18.8 19.8 18.2 18.3 19.6	20. 9 19. 6 18. 5 18. 2 20. 5	20, 2 24, 0 22, 4 (1) 23, 0	20. 1 22. 5 20. 5 (*) 21. 9	20. 0 22. 0 20. 4 (1) 22. 3	20. 1 22. 8 20. 0 (1) 22. 2	20, 5 22, 5 21, 2 (*) 21, 4
Kansas	21. 6 25. 4 22. 6 23. 1	20.8 23.0 21.0 21.7 (*)	22.1 25.3 21.7 22.7 (3)	21. 1 22. 9 21. 1 21. 5 (3)	19. 3 20. 9 20. 2 21. 2 (3)	23. 3 27. 6 22. 9 25. 1 23. 5	22. 9 25. 9 21. 8 24. 2 22. 6	23. 6 26. 3 22. 3 25. 9 22. 4	22. 7 26. 0 20. 9 22. 8 22. 7	22. 5 25. 6 22. 2 23. 9 22. 6
Michigan	23. 2 23. 1 24. 3 18. 3 22. 7	21. 9 21. 2 24. 4 16. 8 22. 3	22. 5 22. 4 25. 7 19. 4 23. 4	21.8 20.8 23.5 16.1 21.3	21. 7 20. 4 24. 1 15. 1 22. 2	25. 3 23. 6 25. 8 (3) 24. 5	23. 3 22. 1 25. 2 (†) 24. 3	23.7 22.5 26.8 (1) 25.0	23. 3 22. 2 24. 8 (*) 23. 5	23. 1 21. 7 24. 2 (3) 24. 4
New Hampshire New Jersey New York North Carolina Ohio	21. 8 22. 5 21. 6 30. 2 20. 4	20. 2 21. 2 20. 1 29. 2 19. 5	22. 0 22. 5 20. 9 32. 2 20. 7	19. 8 20. 8 20. 2 27. 9 19. 0	19. 0 20. 4 19. 5 27. 6 18. 9	22.8 24.1 22.7 33.8 21.9	21. 3 23. 2 21. 5 32. 5 20. 8	22.3 24.0 22.1 34.0 21.5	21. 6 23. 4 21. 7 32. 6 20. 6	20. 1 22. 5 21. 0 31. 3 20. 5
Oregon	18. 4 23. 8 23. 1 26. 9 (³)	16. 7 22. 3 21. 6 25. 8	17. 2 22. 9 22. 9 27. 8	16. 5 21. 9 20. 3 26. 0 (3)	16. 5 22. 2 21. 9 23. 8 (*)	19. 3 25. 8 23. 6 29. 5 31. 6	18.6 24.8 23.3 28.8 29.9	19. 5 25. 2 24. 3 30. 1 31. 0	17. 8 25. 0 23. 1 28. 9 28. 6	18.6 24.4 22.7 27.7 30.4
Vermont	(*) 27. 3 18. 0 21. 3 25. 1	(3) 25. 3 16. 7 19. 6 22. 4	26.6 17.0 21.1 24.8	(3) 24. 8 16. 6 19. 8 21. 1	(*) 24.6 16.7 18.2 21.4	22. 5 29. 9 19. 6 23. 0	20.7 28.9 18.0 21.4	21.7 29.4 18.4 22.1	22.3 28.7 18.3 21.3 (*)	18. 4 28. 8 17. 6 20. 8

1 Includes District of Columbia.

us

th

te

of

Admitted to registration area for 1922.

Figures not shown if transcripts of births were not received for the quarter.

COURT DECISIONS.

VACCINATION REQUIREMENTS TO BE MET BY PUPILS UPHELD.

Upon the outbreak of two cases of smallpox in a school district in Texas, the school board of the district passed a resolution requiring all pupils to be vaccinated against smallpox by scarification. One of the pupils was immunized by the homeopathic internal method of vaccination, but the school board refused to admit her to school because she had not been vaccinated by scarification.

The Court of Civil Appeals of Texas held 1 that "the school trustees had the right which they exercised, to prescribe vaccination as a prerequisite to attendance upon the school; and that the term 'vaccination,' as used and intended by that body, meant scarification and the injection of cowpox into the human system, and did

¹ Abney v. Fox et al., 250 S. W. 210.

June 15, 1923. 1356

not include the taking of medicine internally, or any other mode of prevention of smallpox. Taking medicine internally, whatever may be the result, is not vaccination as prescribed by the school board; and therefore, if it be conceded (a question upon which the testimony was in conflict) that medicine may be given internally which will render the person immune from smallpox as effectively as vaccination by scarification, still we hold that the school board had the authority to prescribe the latter method for the prevention of smallpox, and that its action in so doing was neither arbitrary nor unreasonable."

LOCAL REGISTRARS IN ARKANSAS HELD TO BE COUNTY EMPLOYEES.

It has been decided by the Supreme Court of Arkansas that, under the laws of that State, a local registrar is a county employee rather than a State employee, and that his fees should be paid by the county.

DEATHS DURING WEEK ENDED JUNE 2, 1923.

Summary of information received by telegraph from industrial insurance companies for week ended June 2, 1923, and corresponding week of 1922. (From the Weekly Health Index, June 6, 1923, issued by the Bureau of the Census, Départment of Commerce.)

	Week ended June 2, 1923.	Corresponding week, 1922.
Policies in force	53, 571, 888,	49, 972, 984
Number of death claims	8, 377	7, 189
Death claims per 1,000 policies in force, annual rate	8. 2	7.5

Deaths from all causes in certain large cities of the United States during the week ended June 2, 1923, infant mortality, annual death rate, and comparison with corresponding week of 1922, (From the Weekly Health Index, June 6, 1923, issued by the Bureau of the Census, Department of Commerce.)

		ended 2, 1923.	Annual death rate per	Death 1	Infant mor- tality	
City.	Total deaths.	Death rate.a	1,000, corre- sponding week, 1922.	Week ended June 2, 1923.	Corresponding week, 1922.	rate, week ended June 2, 1923.8
Total	6,946	12.3	11.5	878	779	
Akron, Ohio	. 26	6.5	5.8	6	6	71
Albany, N. Ye		10.2	14.4	.2	5	44
Atlanta, Ga		18.0 14.2	18.0 11.9	15 26	11 22	77
Baltimore, Mdc		14.4	14.5	10	8	"
Birmingham, Ala	1 000	13.9	13. 2	26	18	********
Boston, Mass		7.6	13.1	4	3	17
Bridgeport, Conn		15. 2	11.7	18	18	74 55 75
Buffajo, N. Y		13. 1	8.5	2	18	36
Camden, N. Je.		9.7	12.8	2	6	33
Chicago, III	612	11.1	9,9	90	85	00

Annual rate per 1,000 population.
 Deaths under 1 year per 1,000 births—an annual rate based on deaths under 1 year for the week and estimated births for 1922. Cities left blank are not in the registration area for births.
 Deaths for week ended Friday, June 1, 1923.

Burgess v. Johnson County, 250 S. W. 10.

Deaths from all causes in certain large cities of the United States during the week ended June 2, 1923, infant mortality, annual death rate, and comparison with corresponding week of 1922. (From the Weekly Health Index, June 6, 1923, issued by the Bureau of the Census, Department of Commerce)—Continued.

		ended 2, 1923.	Annual death rate per 1,000,	Death 1	Infant mor- tality	
City.	Total deaths.	Death rate.	1,000, corre- sponding week, 1922.	Week ended June 2, 1923.	Corresponding week, 1922.	rate, week ended June 2 1923.
incinnati, Ohio	135	17.3	10.6	11	7	
	206	12.1	9.1	22	19	
olumbus, Ohio	67	13.4	9.5	5 7	4	
Dallas, Tex Dayton, Ohio Denver, Colo	47 35	11.0	10.3	2	5 2	*****
lonver Coto	72	13.8	15.0	6	6	
des Moines, Iowa	34	12.6		6		
	260	13.6	10.0	50	40	10
whath Minn	32 32	15.7		6		1:
rie, Pa. all River, Mass	37	14. 8 16. 0	9. 0 16. 0	2 3	2 9	1
lint, Mich	27	11.9	10.0	i	9	
and Worth Tow	21	7.6	11.8	3	4	
rand Rapids, Mich	42	15.0	12.7	4	2	
rand Rapids, Michouston, Tex. dianapolis, Ind. eksonville, Fla. rrsey City, N. J. ansas City, Kans.	49	16.5	13. 2	8	7 7	
dianapolis, Ind	105	16.0	8.9	8 2	7	
cksonville, Fla	18	9.4	11.2	8	2	
ersey City, N. J	26	11.7	10.5	3	4 2	
oness City Mo	101	15.0	14.7	16	4	
ansas City, Kans ansas City, Mo. os Angeles, Calif. ouisville, Ky.	179	14.0	14.5	22	11	1
ouisville, Ky	03	16.2	13.0	12	4	1
oursylle, Ky owell, Mass ynn, Mass emphis, Tenn	22	10.0	7.7	4	2	
ynn, Mass	19 73	9.6 22.4	18.0	8	7	
empins, Tenn	93	10.0	9.3	19	17	
ilwaukee, Wis inneapolis, Minn	89	11.3	10.1	12	11	
ashville, Tenn. c ew Bedford, Mass ew Haven, Conn	30	12.9	14.3	7	4	
ew Bedford, Mass	21	8.4 8.7	10, 2	1	6	
w Haven, Conn	140	18.0	14.7 15.7	23	.4	
W Orleans, La	1,209	10.6	11.8	132	15	*****
w Haven, conn w Orleans, La w York, N. Y Bronx Borough	120	7.4	10.0	11	12	
Brooklyn Borough	411	9,9	10.7	43 66	. 68	
Manhattan Borough	554	12.7	13.8	66	84	1
Queens Borough	83	8, 1 16, 8	10.9	9 3	13	
Queens Borough Richmond Borough ewark, N. J orfolk, Va akland, Calif. maha, Nebr	77	9.2	10.5 10.9	5	18	
orfolk, Va	31	10, 2	8.8	8	7	1
akland, Calif	45	9.8	8.9	6	5	
maha, Nebr	52	13.3	9.9	8	5	1
terson, N. J.	35 465	13. 1 12. 6	13.9 11.9	56	44	
Hadeiphia, ra	177	15.0	15.1	28	29	
rtland. Oreg.	55	10.5	10.7	5	5	
ovidence, R. I	76	16.3	11.0	8 7	3	(
chmond, Va	33	9.5	11.7	7	4	1
nana, seor kerson, N. J. iliadelphia, Pa. ttsburgh, Pa. ortland, Oreg. ovidence, R. I. chmond, Va. Louis, Mo. Paul, Minn.	83 213	13.6	9.8	10 22	8	
Poul Minn	62	13.8	9.8	6	7	
t Lake City Utah c	30	13. 4 12. 4	10.1	9	3	1
Louis, Mo. Paul, Minn It Lake City, Utah e n Antonio, Tex n Francisco, Calif.	54	15. 2		13		
n Francisco, Calif	121	11.7	11.2	5	7	3
attle, Wash	46	7.6	10, 9 12, 5	5 7 5	7 5	10
okane, Wash	18	9.0	11.5	3	2	
racuse, N. Y.	37	10.5	13.5	4	5	
coma, Wash	17	8.7		0		
nr Francisco, canitattie, Wash lokane, Wash vingfield, Mass rracuse, N. Y coma, Wash ledo, Ohio.	53	10.3	8.8	6	9	
enton, N. J	37	15.1	12.5	4	4	
Ica, N. Y	26 116	13.1 13.8	10.5	16	7	
ilmington, Del	28	12,4	11.3		. il	
orcester, Mass	42	11.4	11.3	3 2 3	6	
ledo, Ohio. enton, N. J. ica, N. Y. shington, D. C. llmington, Del prester, Mass. nkers, N. Y.	15	7.3	7.9	3		(
oungstown, Ohio	34	13.4	12.6	4	5	

e Deaths for week ended Friday, June 1, 1923.

nd

PREVALENCE OF DISEASE.

No health department, State or local, can effectively prevent or control disease without knowledge of when, where, and under what conditions cases are occurring.

UNITED STATES.

CURRENT STATE SUMMARIES.

These reports are preliminary, and the figures are subject to change when later returns are received by the State health officers.

Reports for Week Ended June 9, 1923.

ALABAMA.	ases.	ARKANSAS—continued	ases.
Cerebrospinal meningitis.	1	Tuberculosis	13
Chicken pox	6	Typhoid fever	8
Diphtheria	6	Whooping cough.	8
Dysentery	184	whooping congu	0
Influenza	4	CALIFORNIA.	
Malaria	63	Cerebrospinal meningitis-Madera County	1
Measles	743	Diphtheria	67
Ophthalmia neonatorum	3	Influenza	15
Pellagra:		Leprosy-San Francisco.	2
Bryce Hospital	46	Lethargic encephalitis-San Francisco	2
Scattering	17	Measles	821
Pneumonia	45	Scarlet fever	99
Scarlet fever	10	Smallpox	12
Smallpox	19	Typhoid fever	19
Tuberculosis	39	**	
Typhoid fever	26	COLORADO.	
Whooping cough	49	(Exclusive of Denver.)	
AREZONA.		Chicken pox	1
Chicken pox	5	Diphtheria	6
Diphtheria	7	Measles	65
Measles	37	Mumps	5
Scarlet fever	25	Pneumonia	9
Tuberculosis	10	Scarlet fever	14
Typhoid fever	2	Trachoma	2
Whooping cough	1	Tuberculosis	145
	1	Whooping cough	3
ARKANSAS,		CONNECTICUT.	
Chicken pox	10	CONNECTICOT.	
Diphtheria	3	Cerebrospinal meningitis	2
Hookworm disease	1	Chicken pox	43
Influenza	8	Diphtheria	26
Malaria	133	German measles	53
Measles	164	Lethargic encephalitis	1
Mumps	9	Malaria	3
Pellagra	32	Measles	133
Scarlet fever	3	Mumps	40
Smallpox	7	Pneumonia (lobar)	23

(1358)

CONNECTICUT—continued	ases.	INDIANA—continued.	Case
Scarlet fever	68	Pneumonia	V400
Smallpox	1	Rabies in animals—Marion County	
Tuberculosis (all forms)	35	Scarlet fever.	
	3		
Typhoid fever	73	Smallpox	•
Whooping cough	13	Typhoid fever	
DELAWARE.		IOWA.	
Chicken pox	2	Diphtheria	1
Diphtheria	5	Scarlet fever	1
Malaria	2	Smallpox	2
Measles	22		
Pneumonia	3	LOUISTANA.	
Scarlet fever	12	Diphtheria	
Tuberculosis	4	Measles	1
Whooping cough	5	Pellagra	1
	-	Scarlet fever	
Diphtheria		Smallpox	
Diphtheria	4	Typhoid fever	1
Malaria	9	Whooping cough	
Pneumonia	1		
Smallpox	2	MAINE.	
Typhoid fever	17	Chicken pox	1
• •		Conjunctivitis (infectious)	
GEORGIA.		Diphtheria	
Chicken pox	6	German measles	3
Diphtheria	3	Measles	19
Dysentery (amebic)	3	Pacumonia	
Dysentery (bacillary)	25	Scarlet fever	1
Hookworm disease	6		3
Influenza	9	Smallpox	
Malaria	13	Tetanus	
Measles	349	Tuberculosis	1
Mumps	1	Typhoid fever	1
Pneumonia	2	Whooping cough	2
Pellagra	1	MARYLAND,1	
Scarlet fever	1		
Septic sore throat	1	Chicken pox	9
Smallpox		Diphtheria	3
Tuberculosis (pulmonary)	8	Dysentery	
	12	Influenza	1
Typhoid fever		Lethargic encephalitis	
Whooping cough	12	Malaria	
ILLINOIS.		Measles	69
11.1	- 1	Mumps	3
Cerebrospinal meningitis—Chicago	1	Pellagra	
Diphtheria:		Pneumonia (all forms)	5
Cook County (including Chicago)	84	Scarlet fever.	
Chicago	78		11
Scattering	51	Tuberculosis	2
Influenza	6	Typhoid fever	1
Lethargic encephalitis:		Whooping cough	13
Chicago	2	MASSACHUSETTS.	
Fulton County	1		
Jackson County	1	Chicken pox	18
Pneumonia	242	Conjunctivitis (suppurative)	1
Poliomyelitis—Kankakee County	. 1	Diphtheria	14
	1	German measles	2
Scarlet fever:		Influenza	
Cook County (including Chicago)	90	Lethargic encephalitis	
Chicago	72	Measles	86
Scattering	70	Mumps.	22
Smallpox:		Ophthalmia neonatorum	19
Macon County	9	Pneumonia (lobar)	
Scattering	25	Scarlet fever.	50
Whooping cough	219		29
		Septic sore throat	4
And the second s		Tetanus	1
INDIANA.	-00		
INDIANA. Diphtheria	33	Trachoma. Tuberculosis (all forms)	156

MASSACHUSETTS-continued.		NEBRASKA—continued.	~
	ases.		Cases.
Typhoid fever	210	Measles	36
Whooping cough	210	Mumps	1
MICHIGAN.		Pneumonia	25
Diphtheria	114	Scarlet fever	
Measles	3,662	Smallpox	35
Pneumonia	167	Whooping cough	99
Scarletfever	278	NEW JERSEY.	
Smallpox	37	Anthrax	3
Tuberculosis	335	Cerebrospinal meningitis	2
Typhoid fever	10	Chicken pox	233
Whooping cough	189	Diphtheria	93
		Malaria	3
MINNESOTA.		Measles	751
Cerebrospinal meningitis	2	Paratyphoid fever	1
Chicken pox	13	Pneumonia	83
Diphtheria	42	Scarlet fever	115
Measles	406	Typhoid fever	6
Pneumonia	3	Whooping cough	101
Poliomyelitis	3		-0.
Scarlet fever	92	NEW MEXICO.	
Smallpox	29	Diphtheria	12
Tetanus	1	Influenza	1
Tuberculosis	73	Measles	56
	, ,,,,,	Mumps	#4
Typhoid fever	9	Pneumonia	4
Whooping cough	7	Scarlet fever	6
MISSISSIPPI.		Smallpox	1
Diphtherla	8	Tuberculosis	8
Influenza	42	Whooping cough	6
Poliomyelitis	1		
Scarlet fever	î	NEW YORK.	
Smallpox	1	(Exclusive of New York City.)	
Typhoid fever	13	Cerebrospinal meningitis	1
		Diphtheria	98
MISSOURI.		Influenza	6
(Exclusive of St. Joseph and Cape Girardeau		Lethargic encephalitis	2
(Exclusive of be, roseph and cape offardeat	,	Measles.	
Cerebrospinal meningitis	1	Pneumonia	242
Chicken pox	29	Poliomyelitis	
Diphtheria	41		3
Influenza	14	Scarlet fever	259
Measles	552	Smallpox	3
Mumps	18	Typhoid fever	29
Pneumonia	1	Whooping cough	224
Scarlet fever	32	NORTH CAROLINA.	
Smallpox	15	6 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	
Trachoma	3	Cerebrospinal meningitis	2
Tuberculosis	83	Chicken pox	55
Typhoid fever	3	Diphtheria	23
Whooping cough	133	Measles	
		Scarlet fever	20
MONTANA.	- 1	Septic sore throat	3
Diphtheria	5	Smallpox	79
Rocky Mountain spotted fever:		Typhoid fever	17
Bridger R. D	1	Whooping cough	409
Edgar	1	OREGON.	
Hardin R. D	1	Chicken pox	28
Stevensville R. D	2	Diphtheria:	20
Victor R. D	1	Portland	10
Scarlet fever	16	Scattering	4
Smallpox	4	Lethargic encephalitis	*1
Typhoid fever	6	Measles	3
NEBRASKA.		Mumps	12
Chicken pox	7	Pneumonia.	12
Diphtheria	9	Rocky Mountain spotted or tick fever	-
German measles	1	Scarlet fever	1 15
		Commented to vote	15
² Deaths.			

oregon—continued.		WASHINGTON—continued.	
Smallpox:	Cases.	Measles: Co	ıse
Portland	9	Seattle.	
Seattering	14	Scattering	
Tuberculosis	13	Mumps	
Typhoid fever	4	Pneumonia	
Whooping cough		Scarlet fever:	
w nooping cough	*0	Seattle	
. SOUTH DAKOTA.			
		Scattering	
Chicken pox	4	Smallpox	
Diphtheria	9	Tuberculosis	
deasles	72	Typhoid fever	
Pneumonia	2	Whooping cough	
Poliomyelitis	1	WEST VIRGINIA.	
Scarlet fever	25	Diphtheria	
mallpox	1	Scarlet fever	
Prachoma	1	Scarlet level	
Puberculesis	8	WISCONSIN.	
Typhoid fever	2	Milwaukee:	
· jpinoid to	_	Chicken pox	
TEXAS.		Diphtheria	
	20	German measles	
hicken pox	38	Measles	
Dengue	. 7	Pneumonia	
Diphtheria	33	Scarlet fever	1
nfluenza	19	Tuberculosis	-
eprosy	1	Whooping cough	
feasles	72		
fumps	. 4	Scattering:	
ellagra	5	Cerebrospinal meningitis	
neumenia	9	Chicken pox	
oliomyelitis	2	Diphtheria	
carlet fever	14	German measles	
mallpox	40	Influenza	
Trachoma	17	Lethargic encephalitis	
	22	Measles 1	. 2
'uberculosis		Ophthalmia neonatorum	
yphoid fever	49	Pneumonia	
Vhooping cough	102	Scarlet fever	1
VERMONT.	- 11	Smallpox	
		Tuberculosis.	
hicken pox	10	Typhoid fever	
iphtheria	3	Whooping cough	
leasles	226	whooping cough	
lumps	25	WYOMING.	
neumonia	1	Diphtheria	
carlet fever	7	Measles	
mallpox	1	Pneumonia	
yphoid fever	i	Rocky Mountain spotted or tick fever:	
hooping cough	20		
mooping congiteers	20	Hot Springs County	
WASHINGTON.		Natrona County	
	0.3	Scarlet fever	
hicken pox	30	Smallpox	
iphtheria:		Tetanus	
Tacoma	9	Tuberculosis	
Scattering	14	Whooping cough	
Reports for We	eek F	Ended June 2, 1923.	
ALABAMA.	ases.	ALABAMA—continued.	
		Pollogra	
nthrax		Pellagra	1
hicken pox		Pneumcnia	- 1
	. 3	Scarlet fever	
			- 1
piphtheria		Smallpox	1
lengueiphtheriaysentery		Tuberculosis	
piphtheria	. 93		4. 4.4

8

1

DESTRICT OF COLUMBIA.	NORTH DAKOTA.
Cases.	Cases.
Chicken pox 22	Chicken pox 7
Diphtheria 4	Diphtheria 4
Measles	Measles 56
Scarlet fever	Pneumonia 8
Tuberculosis	Scarlet fever 21
Typhoid fever 1	Smallpox 15
Whooping cough	Tuberculosis 6
1	Typhoid fever 1
	Whooping cough 20

SUMMARY OF CASES REPORTED MONTHLY BY STATES.

The following summary of monthly State reports is published weekly and covers only those States from which reports are received during the current week:

State.	Cerebrospinal meningitis.	Diphtheria.	Influenza.	Malaria.	Measles.	Pellagra.	Poliomyelitis.	Scarlet fever.	Smallpox.	Typhoid fever.
A pril, 1983. Colorado	6	203 477	16 98	1	1, 225 10, 856		····i	224 1,514	426	10 56
Connecticut	10 1 4	225 29 78	16 120	65 65	1,035 664 10,791	13	3	348 7 78	21 385	12 89 54

CITY REPORTS FOR WEEK ENDED MAY 26, 1923.

ANTHRAX.

	City.	Cases.	Deaths.
Massachusetts: Webster			

CEREBROSPINAL MENINGITIS.

The column headed "Median for previous years" gives the median number of cases reported during the corresponding week of the years 1915 to 1922, inclusive. In instances in which data for the full eight years are incomplete, the median is that for the number of years for which information is available.

City. fo	Median for pre-	Week ended May 26, 1923.		City.	Median for pre-	Week ended May 26, 1923.	
	years.	Cases.	Deaths.		vious years.	Cases.	Deaths
California: Los Angeles Connecticut:	1	1		Missouri: St. Louis New Jersey:	2	1	
New Britain	0	1		Jersey City	0	1	
Georgia: Atlanta	0	1	1	New York:	0	1	
Illinois:			1 .	Albany	0	1	
Chicago	1	1	1	Amsterdam	0	1	1
Peoria Indiana: Michigan City	0	1	1	Cortland	10	1	
Massachusetts:		•		Cleveland	1	2	1
Boston	0	1		Pennsylvania:		-	
Newburyport West Springfield	0	1	1	Philadelphia Texas:	. 1	2	
Michigan: Detroit	1	*******	,	El PasoVirginia:	0		. 1
Flint. Port Huron	0	1	i	Portsmouth	0		1

DIPHTHERIA.

See p. 1368; also Current State summaries, p. 1358, and Monthly summaries by States, p. 1362.

INFLUENZA.

	Cases.		Deaths,		Cases.		Deaths,
City.	Week ended May 27, 1922.	Week ended May 26, 1923.	week ended May 26, 1923.	City.	Week ended May 27, 1922.	Week ended May 26, 1923.	week ended May 26, 1923.
Alabama:				Michigan:			
Birmingham		3	1	Detroit		1	3
Mobile		2		Flint		1	1
California:				Saginaw			1
Los Angeles	6	2	1	Minnesota:			
Oakland	1			Minneapolis			1
San Diego	3			Now Insucant			
San Francisco	1			Garfield	. 1		
Connecticut:				Jersey City	1	1	
Bridgeport	1	1	1	Jersey City Newark		5	1
Florida:				New York:			
Tampa	4			Albany	1	2	
Georgia:				Buffalo	1		
Atlanta		3		New York	23	16	6
Illinois:				Niagara Falls		1	
Chicago	4	4	2	Rochester			1
East St. Louis	1			North Carolina:			
Indiana:	-			Durham			1
Mishawaka			1	Ohio:			
Kentucky:			-	Ashtabula			1
Louisville	1	1	1	Cambridge	1		
Louisiana:	- 1	-	-	Cleveland	2	2	2
Baton Rouge	1			Oragon:	- 1	-	
New Orleans		2	1	Portland			1
Maryland:		-	-	Pennsylvania:			
Baltimore	3	5	2	Philadelphia	1	3	5
Cumberland		1	ī	South Carolina:	-		
Massachusetts:		-	-	Charleston			1
Boston	3		-1	Tennessee:			
Fall River		1		Memphis			1
Springfield	1			West Virginia:			
springhetd				Huntington			1

LETHARGIC ENCEPHALITIS.

City.	Cases.	Deaths.	City.	Cases.	Deaths.
California: San Francisco Connecticut: New Haven		1	Nebraska: Omaha	*******	1

MALARIA.

Alabama:		New Jersey:		
Birmingham	5	Atlantic City	1 .	
Montgomery	1	Paterson	1 .	
Tuscaloosa	1	New York:		
Arkansas:		New York	2 .	
Little Rock	4	Tennessee:		
Florida:		Memphis	8	1
Tampa	1	Texas:	. 1	
Georgia:		Austin	1 .	
Macon	1	Da!las	1 .	
Savannah	2	Houston		1
Kentucky:		Virginia:		
Owensboro	1	Norfolk	1 .	*******
Massachusetts:				
Boston	1			

MEASLES.

See p. 1368; also Current State summaries, p. 1358, and Monthly summaries by States, p. 1362.

PELLAGRA.

City.	Cases.	Deaths.	City.	Cases.	Deaths.
Alabama: Montgomery Arkansas: Little Rock California: Los Angeles Georgia: Savannah Maryland: Baltimore		1 1 1	South Carolina: Charleston. Columbia Tennessee: Memphis Texas: Austin. Dallas. Fort Worth. San Antonio.	1 1	1

PNEUMONIA (ALL FORMS).

Alabama:		1	Indiana—Continued.	1
Birmingham	21	7	Mishawaka	
		l i	Muncie	
Mobile			Terre Haute	
Montgomery	********	1 1		
California:			Iowa:	
Alameda		. 1	Council Bluffs	
Los Angeles	40	22	Kansas:	
Pasadena	3	2	Kansas City	7
Sacramento		. 3	Parsons	1
San Bernardino		3	Topeka	1
San Diego			Topeka Wichita	1
San Francisco			Kentucky:	
Santa Ana			Covington	
			Covington	
Santa Barbara			Lexington	
Stockton		4	Louisville	8
Colorado:			Louisiana:	1
Denver			New Orleans	
Pueblo			Maine:	
Connecticut:		1	Marine:	1
Bridgeport	3	2	Auburn	
Bristol	3	9	Portland	
Bristol	1		Sanford	
Cheenwich	1	*******	Maryland:	
Greenwich	2		Baltimore	40
Hartford	*******	2	Cumberland	1
New Britain				1
New Haven			Massachusetts:	
Stonington		1	Amesbury	
District of Columbia:			Arlington	
Washington		14	Attleboro	
Florida:			Beverly	
Tampa		2	Boston	14
Georgia:		1 2	Brockton	1.8
Atlanta			Cambridge	
Macon		1	Chelsea	
Savannah	*******	3	Chicopee	*******
llinois:			Everett	3
Aurora		1	Fall River	
Blue Island		1	Framingham	
Chicago. Elgin. Evanston. Freeport.	191	85	Gardner	
Elein	1		Haverhill	9
Evanston	î	*******	Holyoke	-
Francet		1	Lawrence	
Calashana	********	1	Lawrence	
Galesburg		1	Lowell	
Jacksonville			Malden	3
La Salle	1		Medford	
Mattoon	3		Melrose	
Oak Park	1		New Bedford	
Dattoon. Oak Park. Pekin. Peoria.	3		Newburyport	
Peoria		2	Newton	
Quincy		ĩ	North Adams	
Rookford	9	2	North Adams	
Dook Johnson	3	2	Division In the Control of the Contr	
Rockford	. 1	********	Pittsfield	********
Springfield	********	1	Salem	
ndiana:			Somerville	2
East Chicago		3	Springfield	2
Frankfort		1	Taunton	
Gary		9	Webster	9

PNEUMONIA (ALL FORMS)-Continued.

City.	Cases.	Deaths.	City.	Cases.	Deaths
Michigan:			New York—Continued.		
Ann Arbor	2		Saratoga Springs	1	
Detroit	115	47	Schenectady	2	
Flint	12	1 2	Syracuse	11	
Grand Rapids	6	2 2 3 2	Troy	5	1
Hamtramek		3	White Plains	i	
Highland Park	3	2	Yonkers		
Jackson	5	1	North Carolina:		1
Kalamazoo	2		Raleigh		1
Muskegon	1		Wilmington		1
PontiacPort Huron	3	1	Wilmington Winston-Salem	********	1
Port Huron	4	2	Ohio:		1
Saginaw		1	Akron	1	
Minnesota:			Ashtabula		
Duluth		1	Barberton		1
Faribault		4	Bellaire	********	
Hibbing		2	Cincinnati		1
Minneapolis		2	Cleveland	42	
Rochester St. Paul		1	Columbus	12	
St. Paul		10	Dayton	1	1
fissouri:			East Cleveland	2	
Cane Girardeau		1	East Cleveland. East Youngstown	2	********
Kansas City		13	Mansfield	1	
St Joseph		6	Niles.	*********	
Kansas City St. Joseph Springfield		i	II Norwood	1	*******
Iontana:			Piqua	********	
Great Falls		1	Tiffin		
Helena		î	Tolodo		1
Missoula	2		ToledoZanesville	********	
lebraska:	-		Oklahoma:		
Omaha		1			
Omaha lew Hampshire:	********		Oklahoma Oregon:	********	
Berlin		1	Destination		
Derilli	*******		Portland		1
ew Jersey:		2	Pennsylvania:		
Asbury Park	*******	i	Phila delphia	65	4
Atlantic City			Rhode Island:		
Bloomfield	i		Cranston		
Clifton		********	Newport		
East Orange	1	********	Pawtucket		
Englewood	i	********	Providence		
Garfield	2		South Carolina:		
Harrison		6	Charleston		
HobokenJersey City	3	0	Columbia		
Jersey City		********	Tennessee:		
Kearny Montclair	4	2	Memphis		
Newark	57	9	Nashville		
Orange		1	Texas:		
Orange	5 3	1	Dallas	2	
Paterson		2	El Paso. Fort Worth		
Perth Amboy			Fort Worth		
Phillipsburg	********	1	Galveston		
Plainfield	3	1	San Antonio		
Summit	2	*********	Waco		
Trenton	4	*********	Utan:		
West Hoboken		3	Provo		
West Orange		1	Salt Lake City		
ew Mexico:			Vermont:		
ew Mexico: Albuquerque		1	Burlington		
			Virginia:		
AlbanyBuffalo	6	********	Alexandria		
Buffalo	24	15	Lynchburg		
Cohoes		1	Norfolk		
Cortland		1	Petersburg		
Dunkirk	5	1	Portsmouth		
Geneva		1	Richmond		
Ithaca	3		Roanoke	1	
Jamestown	3	1	West Virginia:	-	
Lackawanna	3		Huntington	21	
Middletown		1		-1	
Mount Vernon		2	Wisconsin:	2	
Mount Vernon New York	238	131	Eau Clair	2	******
Newburgh	4	1	Madison		
Niagara Falls		1	Oshkosh		
Olean		2	Racine	********	
Peekskill	1		Sheboygan		
Poughkeepsie		- 1	Superior		
Rochester	22	3	Wyoming:		
Rome.	1	9	Cheyenne		

POLIOMYELITIS (INFANTILE PARALYSIS).

The column headed "Median for previous years" gives the median number of cases reported during the corresponding week of the years 1915 to 1922, inclusive. In instances in which data for the full eight years are incomplete, the median is that for the number of years for which information is available.

City. for pre-	Median for pre-	Week ended May 26, 1923.		City.	Median for pre-	Week ended May 26, 1923.	
	years.	Cases.	Deaths.		years.	Cases.	Deaths.
Illinois: Chicaao	0	1	*******	New York: New York	1	2	3
Cambridge	0	1	*******	Pittsburgh Wisconsin;	0	1	
Minnesota: Mankato	0	1		Madison	0	1	

RABIES IN ANIMALS.

City.	Cuses.	City.	Cases.
California: Los Angeles Kentucky: Louisville	21 2	Missouri: Kansas City Texas: Austin	3

RABIES IN MAN.

City.	Cases.	Deaths.
California: Los Angeles.	1	1

SCARLET FEVER.

See p. 1368; also Current State summaries, p. 1358, and Monthly summaries by States, p. 1362.

SMALLPOX.

The column headed "Median for previous years" gives the median number of cases reported during the corresponding week of the years 1915 to 1922, inclusive. In instances in which data for the full eight years are incomplete, the median is that for the number of years for which information is available.

City. for p	Median for pre-	Week ended May 26, 1923.		City.	Median for pre-	Week ended May 26, 1923.	
	years.	Cases.	Deaths.		years.	Cases.	Deaths.
Arkansas: North Little Rock California: Los Angeles Colorado:	0	1 16		Iowa: Burlington Davenport Des Moines Marshalltown	0 6 2 5	7 19 1	
Trinidad	10	9		Kansas: Wichita Maine:	5	3	
Kewanee Pekin	1	2 3		AuburnLewiston	0	1	*******
Frankfort	0 2 0	1 2		Detroit	5	4	
Indianapolis	17	2 5 18		Duluth	2 33 6	5 9 5	

SMALLPOX-Continued.

City.	Median for pre- vious		c ended 26, 1923.	City.	Median for pre- vious			
	years.	Cases.	Deaths.		years.	Cases.	Deaths	
Missouri:				South Carolina:				
St. Joseph	10	1		_ Columbia	0	. 1		
St. Louis	8	1	*******	Tennessee:			1	
New York:			1	Chattanooga	0	2		
Buffalo	0	1		Knoxville	2	11		
Syracuse	0	1		Texas:				
North Carolina:				Amarillo		1		
Greensboro	0	3		Fort Worth	0	3		
Winston-Salem	1	23		Houston	0	1		
Ohio:				Waco	0	1		
Cincinnati	2	3		Virginia:				
Columbus	1	1		Richmond	0	1	******	
Dayton	0	5		Roanoke	1	1		
Lancaster	0	3		Washington:				
Middletown	0	2		Seattle	7	19		
Newark	0	2		Spokane	5	5		
Toledo	2	2		Tacoma	2	1		
Oklahoma:				Wisconsin:				
Oklahoma	6	6		Kenosha	0	9		
Tulsa	3	3		Madison	1	1		
Oregon:				Milwaukee	7	1		
Portland	3	6		Racine	0	2		
Pennsylvania:	-			Superior	1	10		
Erie	0	1						
Farrell	0	2						
Philadelphia	Ö	9						

TETANUS.

City.	Cases.	Deaths.	City.	Cases.	Deaths.
California: San Francisco. Georgia: Savannah. Illinois: Chicago. Indiana: Indianapolis. Massachusetts: Boston.	1 1 1	1 2 1	Missouri: St. Joseph St. Louis New York: New York Virginia: Petersburg Wisconsin: Oshkosh	1 1	1

TUBERCULOSIS.

See p. 1368; also Current State summaries, p. 1358.

CITY REPORTS FOR WEEK ENDED MAY 25, 1923—Continued. TYPHOID FEVER.

The column headed "Median for previous years" gives the median number of cases reported during the corresponding week of the years 1915 to 1922, inclusive. In instances in which data for the full eight years are incomplete, the median is that for the number of years for which information is available.

City,	Median for pre- vious		k ended 26, 1923.	City.	Median for pre- vious	Week May 2	ended 26, 1923.
	years.	Cases.	Deaths.		years.	Cases.	Deaths.
California:				Montana:			
Los Angeles	2	1		Helena		1	
San Francisco	0	1		New Hampshire:			
Colorado:			1	Dover	0	1	
Denver	0		. 1	New Jersey:			
Connecticut:				Montelair	0	2	
New Haven	0	2		Newark	0	2	
District of Columbia:				Trenton	1	1	
Washington	4	3		New York:	0		
Florida:		1		Albany		1	*******
Tampa	0			Amsterdam Laekawanna	0		
Georgia:	1		1	New York		5	
Atlanta	0	1	1	North Caro ina:	9 1	9	
Brunswick	0		*******	Wilmington	0	1	
Aurora	0	1		Ohio:	0		
Chicago	4	4	1	C'eveland	1	1	
Indiana:				Elyria	0	î	*******
Hammond	0	1		Pennsylvania:	-	•	
Kansas:				Allentown	0	1	
Kansas City	0	1		Haz'eton	0	i	
Kentucky:				Philadelphia	8	3	
Covington	0	3		Pittsburgh	1	1	
Louisville	2	1		Pottsville	0	1	
Louisiana:				South Carolina: •			
New Orleans	3	9	3	Charleston	1	1	1
Maine:			l i	Columbia	1	1	
Portland	1	1		Tennessee:	-		
Maryland:		7		Memphis	1	4	
Baltimore	3			Nashville Texas:	1	1	1
Boston	2	4		Amarillo		1	
Brookline	0	i		Beaumont	0	i	
Chelsea	0		1	Dallas	1	1	
Melrose	0	1		El Paso	0	2	
Newton	0	î		Houston	0	ī	
North Adams	0	2		Virginia:			
Quincy	0	2		Norfolk	1	1	
Michigan:				Wisconsin:	1	-	
Detroit	2		1	Eau Claire	0	1	
Saginaw	0	1		Janesville	0	1	
dinnesota:				Sheboygan	0		
Duluth	0	1	1	Superior	0	1	
Minneapolis	1	1					
dissouri:		6					
Kansas City	1	2	2				
St. Louis	3	4	2				

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS.

	Popula-	Total deaths	Diphtheria.		Measles.		Scarlet fever.		Tuber- culosis.	
City.	tion Jan. 1, 1929.	from all causes.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Alabama: Birmingham	178, 806 60, 777 43, 464 11, 996	57 20 16	2		273 12 91 18	1 1	1		17 1	2
Fort Smith	28,870 65,142 14,048				6 23 45				····i	

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS-Continued.

	Popula-	Total deaths	1	htheria	. Me	easles.		earlet ever.		iber- losis.
City.	tion Jan. 1, 1920.	from all causes.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
California:										
AlamedaBakersfield	28,806	2			. 37		. 2		. 1	
Bakersfield	18,638	3	4							
Berkeley	56,036	9 5	6		. 52		- 4	****	. 3	*****
GlendaleLong Beach	13,536 55,593	19	3		14		3			-
Los Angeles.	576,673	205	51		161				. 53	2
Pasadena	45 354	18			. 17		. 10			
Pasadena	16, 843 19, 311 65, 908	5			. 5				. 1	1
Riverside	19,341	6					. 4		. 1	
Sacramento	65,908	15			. 63		. 8		. 2	
San Bernardino	18,721	14	1		. 8		. 8	1	1	
San Diego	74,683 506,676	28 143	12 29	1	103		16	1	22	1
San Francisco. Santa Ana Santa Barbara	15, 485	6	20	1	103		. 10	1	22	13
Santa Barbara	19,441	9								
Santa Cruz	10,917	4								
Stockton	40,296 21,107	17	2		5		. 1	1		
Vallejo	21, 107	2					. 1			
Colorado:	070 401		20		401		10			
Denver	256, 491	84	30	2	401	6	12			12
Greeley	10,958 43,050	10	4		4	*****	1	*****	1	1
Trinidad	10,906	10	i		9		1			
Connecticut:	,				-					
Bridgeport	143,555	30	7	1	9	1	20		8	1
Bristol	20,620	4	1						1	
Fairfield (town)	11,475 22,123	3	1		3					2
Greenwich (town)	22, 123	*******	6		1		2		1	3
Manchester (town)	138,036	46	1	1			1		3	3
Meriden (city)	18,370 29,867	2	i	*****	1	*****	*****	*****	*****	*****
Milford (town)	10, 193	3				*****	*****			
New Britain	59,316	12	5		3		6		6	2
New Haven	162,537 25,688	31	2		31		2		7	
New Britain New Haven New London Stonington (town)	25,688	9								
Stonington (town)	10, 236	3	*****		*****			*****		
District of Columbia:	497 871	110	5		357	1	24		26	20
Washington	437,571	115	9		301	1	24	*****	20	20
St. Petersburg	14, 237	4			1	×				
Tampa	51,608	15	2		7		1		3	
leorgia:										
Atlanta	200,616	50	3	1	33	1	5		4	5
Krimswick	14,413 52,995	2							1	1
Macon	13, 252		*****	*****	55 35	*****	2	*****	*****	*****
RomeSavannah	83, 252	32			8		-	*****	1	3
laho:	00,202	04			0	*****		*****	- 1	
Boise	21,393	6					2			
linois:										
Alton	24,682	10			34				4	1
Aurora	36, 397 28, 725	12	1		32 22	*****	3	*****	5	
Bloomington	11, 424	5 2		*****	6	*****	3		0	
Blue Island	12, 491	3			21	*****			*****	
Centralia	15, 873	0			6				1	
Chicago	15, 873 2, 701, 705 44, 995	656	83	3	656	11	59	2	177	52
Chicago	44, 995	8	1		74					
Danville East St. Louis	33, 776	9	1		30			*****		
East St. Louis	66, 767	15	2	1	3 48			*****	1	*
Elgin	27, 454 37, 234	'	*****		108	*****	2		il	
Forest Park	10, 768				4		-			
Freeport	19, 669	4	1		76		1		1	
Galesburg	23, 834	11 .			6		2			1
Jacksonville	15, 713	8	1						3	1
Kewanee	16,026	6 .			3					
		1 .								*****
La Salle	13,050		*****		10	*****		1	1	
Mattoon	13, 552				19		3		3	
La Salle	13, 552 39, 858 76, 121	11 16	1		19 106 7		3 6		3	

-	Popula-	Total deaths	Diph	theria.	Me	asles.		erlet ver.		ber- osis.
City.	tion Jan. 1, 1920.	from all causes.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Illinois-Continued.										
Rock Island	35, 177	20	1		13 154				2	****
Rockford	59, 183	15			15		4			
Urbana	65, 651 59, 183 10, 244				84					
Indiana:		0	1	1	18				1	
Anderson	29, 767 11, 595	3	i		21		2			
Bloomington	11, 595 10, 139	3	2							
East Chicago	35, 967	8			53					
ElwoodFrankfort	10,790	5 5			3 21					
Garv	11, 585 55, 378	10			6	1	15	*****		
Gary Hammond	36, 004	8			3	Inches				
Huntington	14, 000 314, 194	3		2	1	1	1			
Indianapolis	314, 194	96	0	2	720		3		0	
Kokomo. La Fayette	22, 486	6	1		12	*****				
Logansport	21,626	6								
Michigan City	19, 457	8			2		2			
Mishawaka	15, 195 36, 524	10 8			28		2			
Muncie South Bend	70, 983	4			7		5		6	
Terre Haute	66, 083	18	2		28	*****				1
Iowa:	04 057									
Burlington	24, 057	6	····i	*****	9		3			
Council Bluffs	45, 566 36, 162	8	4						1	1
Davenport	56, 727				6					
Des Moines	126, 468		2		*****		24-			
DubuqueIowa City	39, 141	******			3		1	*****		*****
Marshalltown	39, 141 11, 267 15, 731				1		i			
Muscatine Sioux City	16, 068	6			2		1	*****		
Sioux City	71, 227 36, 230	0	2		1		1 3			
Waterloo Kansas:	30, 230	******		*****	131	*****	3		*****	
Coffevville	13, 452	1	1		22					
Fort Scott	10, 693 101, 177	4	1	*****	2		3			
Kansas City	101, 177	7	2		292				5	
Lawrence	12, 456 16, 028				20			*****	· · · · · ·	
Topeka	50,022	10	2		16				4	1
Topeka	50, 022 72, 217	18	1				2		2	
Kentucky: Covington	57 191	18			14		1		1	1
Henderson.	57, 121 12, 169 41, 534 234, 891	3	,		14	*****		*****		
Henderson	41,534	17			5					
Louisville	234, 891	81	2		43		1		20	
Owensboro Paducah	17, 424 24, 735	******	*****		*****	*****			3 2	*****
Louisiana:	41, 100		*****	******	*****			*****		
New Orlenas	387, 219	134	6		14	2	1		24	- 14
Maine: Auburn	16, 985	7			30					
Bangor.	25,978	1	*****		42					*****
Bath	14, 731	0			4					
BathBiddeford	18,008	2								2
Lewiston	31, 791 69, 272	14	3		22	1	10	*****	4	2
Sanford (town)	10, 691	21 6	9		15	1	4		*****	
Waterville	13, 351				3					
Maryland:		200			000					
Baltimore	733, 826 29, 837	208 14	29	1	620	*****	132		20	25
Frederick	11,036	4		******				******	1	
Massachusetts:		-								
Adams (town)	12,967	1			*****				2	
	10,036	2 4								
Attlebore	18,665 19,731	5	2		2	*****	2	*****	1	******
Arlington (town)	10,749	1			26					
Beverly	22, 561 748, 060	7		4					1	····ii

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Continued.

	Pepula-	Total deaths	Diph	theria	Me	nsles.		arlet ver.		ber- osis.
City.	tion Jan. 1, 1920.	from all causes.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Massachusetts-Continued.										
Braintree (town)	10,580	1	1		6		5			1
Brockton	66, 254 37, 748	14		*****	42 25	*****	3 5		2	****
Brookline	109 694	34	5	1	46		23		6	
Cambridge	43, 184 36, 214 12, 979	15	3		4		3		2	
Chicopee Clinton Dedham	36, 214	8	i							
Clinton	12,979	4	1							
Dedham	10,792	1								
Everett	40, 120	6	3		21		2		3	
Fall River.	120, 485 17, 033	30	4		6		3		10	
Gardner	16, 971	5 9	****		*****		1	*****	1	1
Greenfield	15, 462	6	*****				*****	*****		
Haverhill	53, 884	8	1		90			******	2	****
Holyoke	60, 203	19	2		3		12		1	
Holyoke. Lawrence.	91, 270	17	1		46		2		5	
Leominster	19,744	5	1		1					
Lowell	112,759 99,148	28 27	1 4		17	*****	1	*****	5	
Lynn	49, 163	21	4		25		5 7			
Malden	39.038	13	2		4		5	*****	*****	****
Meirose	18, 204	4	-		i		2		1	
Methuen	15, 189	3			8	1			1	
New Bedford	121, 217 15, 618	44	2		2		3		10	
Methuen New Bedford Newburyport	15,618	10			12		1		*****	
Newton	46,054	6 3	1		2	*****	2			
North Adams	22, 282	15			1		3		1	***
Northbridge	21, 951 10, 174	8					9	*****	*****	
NorthbridgePittsfield	41,763	10			1		5	******	1	***
Plymouth	13.015	1								
PlymouthQuincySalem	47, 873	5	4		6		8			
Salem	42, 529	1	4		2	*****	3			
Somerville	93,091	16	6		8	*****	9	*****	2	1
Southbridge	14, 245	5 26	2		2		6	*****	7	
Springfield	129, 614	23	2		6	1	7			
Wakelid	37, 137 13, 025	3	1		15		2		2	
Wakefield Watertown	21, 457	1	2		4		3			
Webster	13, 258		1				1			
West Springfield	13, 443	3	2		*****	*****	2	*****	-2	
Webster. West Springfield. Westfield. Winthrop.	18, 604	6			2		4 2		2	
ichigan:	15, 455	*******			-		2	*****	*****	
Alpena	11, 101		1				1			
Ann Arbor	19, 516	14	1		15		i		1	
Ann ArborBattle Creek	19, 516 36, 164	0	2		135		7		2	
Benton Harbor	12, 233	1	1	7	5	*****	******		1	
Detreit	993, 678	265 28	21 10	1	376 43	8	94	2	37	
Flint	91, 599 137, 634	35	3	1	461	1	3	1	6	
Grand Rapids	48, 615	15	0		401	2			0	
Highland Park	46, 499	15	*****		59		2		4	
Highland Park	12, 183						5			
Jackson	48.374	14			158		2		1	
Kalamazoo	48, 487	18			14	*****	*****		5	
Marquette	48, 487 12, 718 36, 570	3 15	*****		43		1		1	
Muskegon	34 972	13	1		69		9	*****	7	
Port Huron	34, 273 25, 944	12			37		2			
Saginaw	61, 903	21	2		45		8		4	
Sault Ste. Marie	12,096	2					2		*****	
nnesota:					-					
Duluth	98, 917	22			7	*****	7			
Faribault	11,089	8			9	1	3	*****	*****	
Hibbing	15, 089	4		*****	8	*****	3	******	*****	
Mankato	12, 469 380, 582 13, 722	99	6		287	4	31	1	9	
Minneapolis	13, 722	26	2		3					
St. Cloud	15, 873						4		1	
St. Paul	234,698	70	16	1	188	5	25		13	

	Popula-	Total deaths	Diph	theria.	Mea	asles.		arlet ver.		ber- losis.
City.	tion Jan. 1, 1920.	from all causes.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Missouri:										
Cape Girardeau	10, 252	5			9					
Joplin	29, 902 324, 410	105	7	2	197	6	14	*****	7	
St. Joseph	77, 939	40	1 '	1 1	37		2		1 .	1 '
St. JosephSt. Louis	772, 897	231	28	1 2	203	1	24		19	1
Springfield	772, 897 39, 631	13								
Montana:										
Billings	15, 100	4								-
Great Falls	24, 121	8	3		1		1		i	1
Helena	12, 037 12, 668	6 2	*****		3	*****	6	*****	1	
Missoula	12,008	2			*****		1 0	*****		
Lincoln	54, 948	8			1		2			
Omaha	191,601	44	2		12		3			1
Nevada:	201,001		-	1	1					1
Reno	12,016	4			2		1			
New Hampshire:										1
Bernn	16, 104	7								
Dover	13,029	4	*****		1	*****	*****			
Keene	11, 210	4		*****		*****			*****	
New Jersey:	12,400	7	30				1			1
Asbury Park	50, 707	12		*****	5		1		2	
Bayonne	76, 754		2				2		8	
Belleville	15,660 22,019				4					
Bloomfield	22,019	1			3		1			
Clifton	26, 470	5	1		1		1		1	
East Orange Englewood	50, 710	10			43		1		3	1
Englewood	11,627 19,381	1	3		30		1		*****	
Garfield	19, 381	1	3	*****	4		2		*****	
Hoboken	15, 721 68, 166	19	2	*****	2	*****	i			
Jersey City	298 103	19	10	*****	19		9		10	
Kearny	298, 103 26, 724	4	1	*****	27				6	
Kearny Long Branch	13, 521	2			1		3		1	
Montelair	28, 810	9			46				2	
Morristown	12, 548	4			1			*****	1	
Newark	414, 524	101	13		245		11		2	
Orange	33, 268	10	1 2 3		6 5	1	3	*****	2	
Passaic	63, 841	10	2	*****	95	1	2	*****	3	
Paterson	135, 875 41, 707	6	2	*****	6		-	*****		*****
Phillipshurg	16 923	4								
Plainfield	27,700	8			6		1			
Summit	27, 700 10, 174 119, 289	3			25				1 2	
Trenton. Union (town)	119, 289	27	9		3	1	7	*****	2	
Union (town)	20,651		1			*****	*****			
West Hoboken	40, 074	6	4	*****	12		2	*****		
West New York West Orange	29, 926 15, 573	3 5	i		6	*****	2	*****	*****	
ew Mexico:	10,010					*****	-	*****		
Albuquerque	15, 157	11	1		13				7	
ew York:			-							
ew York: Albany. Amsterdam	113, 344				168		5		5	
Amsterdam	33, 524 36, 192 506, 775 22, 987	3	1		1		2			
Auburn	36, 192	9	1		108	6	28	····i	21	1
Buffalo	309,775	164	6		156	0	28	1	21	'
Cohoes	13, 294	4	*****		2	*****	1	*****		
Dunkirk	19, 336	4		*****	19			1		
Geneva.	14,648	2	*****	*****						
Hornell	15,025	1			3					
Hudson	11. 745	1 4					1			
Ithaca	17,004 38,917 17,918	3 7	1		20					
Jamestown	38, 917	7	1		16		1			
Lackawanna	17,918	3	1		25		2		1	****
Little Falls	13. (88)	1					*****			****
Lockport	21,308	9 2	*****		45		*****	*****		
Middletown	21, 308 18, 420 42, 726	10	*****	*****	45		2	*****		
Mount Vernon New York	5, 620, 048	1, 230	211	14	818	18	230	2	1 286	18
Newburgh	30, 366	1, 230	-1.		4.10	10	200	-		

¹ Pulmonary tuberculosis only.

	Popula-	Total deaths	Diph	theria	Me	asles.		earlet ver.		iber- losis.
.City.	tion Jan. 1, 1920.	from all causes.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
New York—Continued.										1
Niagara Falls	50,760	10			. 8		5		. 3	
North Tonawanda	15, 482	2			2 5					
Olean	20, 506	8					17		. 1	
Peekskill	15, 868 35, 000	4	1		. 8		1	*****		
Poughkeepsie	35,000	9 56			4		1		. 2	1
Rochester	205, 750	36	11	1	72		10		. 12	
Rome.	26, 341 13, 181 88, 723 171, 717	8 2	3		2	*****	5			1
Saratoga Springs Schenectady Syracuse	88 723	22	1		64		1 4	*****	- 2	
Schenectary	171, 717	48	5	2	257	1	26	1	7 7	1
Troy	72.1113	18	0	-	6		20	1	4	
Watertown	31, 285 21, 031	111	1		1 0		1	*****	2	
White Plains	21,031	5			3		8	*****	ī	1
Yonkers	100, 176	19	2		14		18	*****		
orth Carolina:	,		-	1	1	1	1	1		
Durham	21,719	7	1		37				2	1
Greensboro	43, 525	6			177					
Raleigh	24, 418	12			28					1
Rocky Mount	12,742	6								
Wilmington	33, 372	11	1		1		2			
Wilmington	48, 395	12	1	1	66				9	1
orth Dakota:	01 001								1	
Fargo	21,961	0								
Grand Forks	14,010				1		2			
hio: Akron	208, 435	34	0		46		10			
	21,603	1	1	*****	W.10	*****		*****	6	
Alliance	92 082	8			6 7	*****	2		*****	
Barberton	22, 082 18, 811	6	1	*****	13	*****	1	*****	4	
Bellaire	15,061	3	1	*****	2			*****		1
Bueyrus	10, 425	3			4				*****	1
Cambridge	13, 104	3				*****		*****	*****	
Cambridge	13, 104 15, 831	6			3	*****			******	****
Cincinnati	401, 247	129	6		123		14		21	
Cleveland	796, 841	174	20	2	415	2	82		39	
Cleveland Heights	15, 236 237, 031				29		1			
Columbus	237,031	61	4		35		4		2	
Coshocton	10.847				1					
Dayton East Cleveland. East Youngstown.	152, 559 27, 292 11, 237 20, 474	32	4		29		11		3	
East Cleveland	27, 292	2	*****		61		3	*****	2	
East Youngstown	11, 237	2				*****				
Fig.11	20, 474	7			15					
FindlayFremont	17,021	7	3	*****	2 3		*****	*****	*****	
Hamilton	12, 468 39, 675	9			17		******	*****	*****	
Kenmore.	12 693	9			130		1		2	
Lancaster.	14 706	4			1.50	*****	1	*****	6	
Lorain	37, 295		2	1	10		1 7		2	
Mansfield	14, 706 37, 295 27, 824 27, 891	6	ĩ		20				-	
Marion	27, 891		î		1		3			
Martins Ferry	11.1554	4							1	
Middletown	23, 594 10, 718 26, 718	3			10	1			1	
New Philadelphia	10,718				S					
Newark	26,718	4			53					
Niles	13,080	1	2		10	*****				
Norwood	24,966	2 7			20			*****		
Piqua	15, 044 10, 305	7	1		2	*****				
Sandusky	22, 897	2 5	*****	*****	6	*****	*****	*****	*****	
Springfold	69, 840	20	3		7			*****		
Sandusky	28 508	8	3		3		1	*****	3	****
Tiffin	28,508 14,375	0			22		1		.3	
Toledo	243, 164	56	6	1			36		6	
Zanesville	29, 569	13					30			
dahoma:										
Oklahoma	91, 295	27	1		10		6			
Tulsa	72,075		2				1			
egon: Portland										
Portland	258, 288	42	14		2		4		7	
						1				
AMERICA E VINERALIS.	90 FOC	1	- 1	1			- 1			
nnsylvania: Allentown	73, 502 60, 331		8 3		11		7		1 3	

	Popula-	Total deaths	Diph	theria.	Mes	asles.		rlet ver.		ber- osis.
City.	Popula- tion Jan. 1, 1920.	from all causes.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Pennsylvania—Continued.										
Berwick	12, 181						1			
Bethienem	50, 358		1	*****	63		. 3		4	
BraddockBradford	20, 879 15, 525	*******	1	*****	29		*****			
Bristol	10, 273				1					
Butler	23,778		3		6		1			
Carbondale	18, 640 10, 504	******	1	*****	3				1	
Carrick	13, 171		1	*****	12	******	3			
Charleroi	11, 516				2					*****
Chester	11, 516 58, 030				1		1			
Coatesville	14, 515						1			
Connellsville	13, 804	******			4			*****		
Dunmore	20, 250	******	*****		20					****
Erie	33, 813 93, 372	******	i	*****	154		4		12	
Farrell	15, 586				3					
Harrisburg	75, 917 32, 277	******	2		7		2			
Hazelton	32, 277		1		4		*****			
Homestead	20, 452	******	2		3 2		*****		1	
Jeannette	10, 627	******	4		35	*****	8	*****		****
Lancaster	53, 150	*******	2	*****	16		1		2	
Lebanon	67, 327 53, 150 24, 643		5		1		1			
McKee's Rocks	16,713						1			
McKeesport	46, 781 15, 599		····i		4		*****			
Mahanoy City Meadville	15, 599 14, 568	******	1		32		*****	*****	*****	****
Nanticoke	22, 614	******	*****		18		*****	******		
New Castle	44, 938	*******		*****			2.		2	*****
	11, 987 32, 319				2					
Norristown North Braddock			2				1			
North Braddock	14, 928	******	1		*****			*****	*****	
VIII VILV	21, 274 1, 823, 779 588, 343	470	57	5	18 67	2	67	1	72	
Philadelphia Pittsburgh	588 343	100	29		91	-	30		8	,
Plymouth	16, 500				1					
Pottstown	17, 431 21, 876 10, 311				6					
Pottsville	21, 876				10					
Punxsutawney	10, 311	******	1		2		*****			
ReadingShamokin	21 204	*******	1	*****	4		*****	*****		****
Sharon	107, 784 21, 204 21, 747 13, 428	******	1	*****	7	******				*****
Steelton	13, 428				1				· · · · i	
Sunsbury	15, 721		4							
Swissvale	10, 908 12, 363	******	2		1					
Tamaqua Uniontown	12, 363	******	1	*****	10					****
Warren	14, 272	*******	2	*****	337			*****		****
Warren	21, 480	*******					1			*****
Wilkes-Barre	73, 833		3		16		1		i	
Wilkinsburg	24, 403		1		4		1			
Williamsport	36, 198		1		10		2			
Woodlawn	12, 495 47, 512	******	1	*****	26	*****				****
Yorkhode Island:	11,014	******	*****	*****	20			*****	******	
	29, 407	7			3		5			
Cumberland (town) Newport	10,077	0								
Newport	30, 255 64, 248	8	2				2 2			
Pawtucket	64, 248 237, 595	20 66	5 7		3 40	2	11	*****	*****	****
Providence	231, 393	60	1	*****	10	-	**	*****		1
Charleston	67, 957	22			3		1			
Columbia	37, 524 23, 127	23			4				5	
Greenville	23, 127	. 13								
outh Dakota:	0= 000									
Sioux Falls	25, 202	4	*****	*****	1		1	*****	*****	
ennessee: Chattanooga	57, 895	0	2				1			
Knoxville.	77, 818 162, 351				43				4	
**	169 351	58	4		37	1	2		14	
Memphis	118,342	33			18					

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS-Continued.

	Popula-	Total deaths	Diph	theria.	Me	asles.		ver.		ber- osis.
City.	tion Jan. 1, 1920.	from all causes.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Texas:										
Amarillo	15, 494								1	
Austin	34, 876	5			5					
Beaumont	40, 422	S							1	
Dallas	158, 976	42	2		27		2	*****	2	
El Paso	77, 560	55	1	1	14	2	3	*****	13	
Fort Worth	106, 482	17	1		3		2			
Galveston	44, 255	12								
Houston	138, 276	32 50	5	1	8	1	2 2			
San Antonio	161, 379 38, 500	8	2		8		. 2	*****	2	
Utah:	00,000		-			*****	*****		2	
Provo	10, 303	3								
Salt Lake City	118, 110	32	7		8		1			****
Vermont:	,	1	1							
Barro	10,008				42					
Burlington	22,779	5			157					
Virginia:		1								
Alexandria	18,060	5			23				1	****
Lynchburg Norfolk	30,070	5	1		14			*****		
Norioik	115, 777 31, 012	******	1		40	*****	1		6	
Petersburg	31,012	11	*****	*****	81	*****	*****	*****		
Portsmouth	54, 387 171, 667	18 50			64	1 3	******			
Roanoke	50, 842	11	1	*****	353	1	4		10	
Washington:	30, 312	11	*****		37			*****		****
Seattle	315, 312		2		42		3			
Spokane	104, 437		4		2		3		15	****
Tacoma	96, 965		2				7			
Vancouver	12,637		2							
West Virginia:										
Bluefield	15, 282	5	1		7			*****		
Clarksburg	27,869	5	*****	*****	158	*****		*****		
Fairmont	17, 851 50, 177	22	4		49	2				****
Martinsburg	12,515		1		12		******		3	
Morgantown	12, 127	******	2		3		*****		* * * * * *	****
Moundsville	10,669	5	-	*****	0	*****			*****	
Parkersburg	20,050	7			46		*****	*****		
Wheeling	56, 208	10			6		1		4	
Wisconsin:	,	-								
Appleton	19,561	5			5					
Ashland	11,334	******			6		2		1	
Beliot	21, 284	6	1	*****	96		9		1	
Eau Claire	20,906	*******	*****		3				1	
Fond du Lac	23, 427	5		*****	11	*****				
Green Bay Janesville	31, 017 18, 293	7	2	*****	26		11	*****	*****	
Kenosha	40, 472	6	1		3		6		2	****
Madison	38, 378	5		*****	89	1	1		-	
Manitowoc	17, 563			*****	24		1		1	
Marinette	13,610				9		2	*****		
Milwaukee	457, 147		13		28				8	
Oshkosh	33, 162	17			81				1	
Racine	58, 593	10	2		6		6		5	
Sheboygan	30,955	11	5		8		1			
Stevens Point	11, 371				10		3			
Superior	39,671	6			27		1			
Waukesha	12,558	******	1		22		6			
Wausau	18,661	*******	2		103		5		3 .	
West Ailis	13, 745		1		1		3			****
Cheyenne	19 000	2								
CHUYCHIIO	13, 829	4			1					

FOREIGN AND INSULAR.

AZORES.

Plague.

During the period February 25 to April 28, 1923, 53 cases of plague with 22 deaths were reported in the Island of St. Michael, Azores.

COLOMBIA.

Yellow Fever-Bucaramanga.

Under date of May 20, 1923, the epidemic disease previously reported prevalent at Bucaramanga, Colombia, was declared by the Government of the Republic of Colombia to be yellow fever, with 39 cases and 2 deaths reported from May 3 to 19, 1923.

CUBA.

Communicable Diseases.

Communicable diseases have been notified in Cuba as follows:

Provinces.

NEW CASES REPORTED MARCH 21-31, 1923.

Province.	Cerebros p i nal meningitis.	Chicken pox.	Diphtheria.	Infantile tetanus.	Malaria.	Measles.	Paratyphoid fever.	Scarlet fever.	Typhoid fever.
Camaguey Habana Matanzas.	1	2 23	12		21	9	2 2	5	7 16
OrientePinar del Rio		14			45 1		2		6 5
Santa Clara	******	24	5		1	*******	3		7
Total	1	63	17		68	9	9	5	44

NEW CASES REPORTED APRIL 1-10, 1923.

Camaguey		14	2 5	******	30	5	1 3		11
Matanzas	*******	18			48		2		19
Pinar del Rio Santa Clara		30	7	·····i	3		9	1	8
Total	1	64	14	1	76	5	16	2	72

¹ Public Health Reports, Mar. 23, 1923, p. 650; May 11, 1923, p. 1045; June 1, 1923, p. 1222,

Provinces-Continued.

NEW CASES REPORTED APRIL 11-20, 1923.

Province.	Cerebros p i n a l meningids.	Chicken pox.	Diphtheria.	Infantile tetanus.	Malaria.	Measles.	Paratyphoid fever.	Scarlet fever.	Typhoid fever.
Camaguey Habana Matanzas Oriente		1 21 2 22	1 4 1		• 10 31		1	1	5 27 5 21
Pinar del Rio		18	·····i		·····i		4		17
Total		64	7		101		5	1	79

NEW CASES REPORTED APRIL 21-30, 1923.

Camaguey		2			10				•
Habana	1	6	2	1	14	3	2	2	13
Matanzas		5	1						13
Oriente		11			76		2		16
Pinar del Rio					1				
Santa Clara		1	5		2		1		1
Total	1	25	8	1	103	3	5	9	6

Quarantine Against Arrivals from Venezuela.

Under date of May 26, 1923, quarantine on account of plague was declared to be in force at Cuban ports against vessels arriving from Venezuela.

NEW GUINEA.

Ordinance for Suppression of Leprosy.

An ordinance for the suppression of leprosy in the territory of New Guinea was adopted March 21, 1923, by the Government of the Commonwealth of Australia. The ordinance provides for the examination, by a medical officer, of any person suspected of being affected with leprosy, and authorizes detention of a person so affected in a leper station. Penalty is provided for a leper leaving a leper station without authorization, for a person concealing leprosy or suspected leprosy in his own person or the person of another, for harboring a person living in concealment of leprosy, and for a person refusing to permit himself to be examined for the purpose of ascertaining whether he is affected with leprosy.

SVRIA

Leprosy-Damascus.

During the week ended April 22, 1923, a case of leprosy was reported at Damascus, Syria.

UNION OF SOUTH AFRICA.

Plague - Klipfontein - Transvaal.

On April 23, 1923, an outbreak of plague was reported at Klipfontein, Transvaal, Union of South Africa.

The reports contained in the following tables must not be considered as complete or final as regards either the list of countries included or the figures for the particular countries for which reports are given.

Reports Received During Week Ended June 15, 1923.1

CHOLERA.

Place.	Date.	Cases.	Deaths.	Remarks.
India: Bombay Rangoon	Apr. 8-14	1 9	1 6	

PLAGUE.

Azores: St. Michael Island	Feb. 25-Apr. 28	53	22	
Ceylon:				
Colombo		5	4	Plague rodents, 7.
India		******		Nov. 19-25, 1922: Cases, 1,871
Bombay		118	89	deaths, 1,292. (Received ou
Karachi		38	28	of date.) Apr. 8-14, 1923
Madras Presidency	do	354	149	Cases, 7,927; deaths, 6,122
Rangoon	Apr. 8-21	70	68	(Additional cases, Mar 25-
Straits Settlements:				Apr. 1, 1923; Cases, 1,406
Singapore	Apr. 22-28	1		deaths, 1,214. Reported out
Union of South Africa:				of date.)
Transvaal-Klipfontein	Apr. 23			Outbreak.
Venezuela:				
Victoria	May 23	4	2	

SMALLPOX.

Brazil:				
Rio de Janeiro	Apr. 15-28	5	1	
Chile:				
Concepcion	May 1-7		1	
China:				
Amov	Apr. 15-21		1	
Antung		1		
Shanghai	do	2	3	Cases, foreign; deaths, Chinese.
Finland				Apr. 16-30, 1923: Case, 1.
India:				
Bombay	Apr. 8-14	56	33	
Karachi	Apr. 22-28		5	7
Madras	do	18	6	
Rangoon	Apr. 8-21	83	45	
Italy:	24 pt. 0 - 24		10	
Turin	Apr. 6-13	1		
Mexico:	Apr. 0-15			
Mexico City	Apr. 15-21	35		
Persia:	Apr. 10-41	99		
Teheran	Mar. 1-14		2	
Portugal:	Mar. 1-14		-	
Lisbon	May 6-12			
Straits Settlements:	May 0-12			
	A 00 00	1		
Singapore	Apr. 22-28	1	********	
Switzerland:	Ann CO Man !	3		
Berne	Apr. 29-May 5	3		
Turkey:	4 00 M 5		31	Ann 01 07 1000: Wann same at
Constantinople	Apr. 22-May 5		31	Apr. 21-27, 1923: Many cases re
				ported.
Union of South Africa:				0 111-
Cape Province	Apr. 15-21			Outbreaks.
Transvaal	do			Do.
Yugoslavia:				
Serbia-				
Belgrade	Apr. 15-28	1	1	

¹ From medical officers of the Public Health Service, American consuls and other sources.

Reports Received During Week Ended June 15, 1923-Continued.

TYPHUS FEVER.

Place.	Date.	Cases.	Deaths.	Remarks.
China:	Apr. 30-May 13	9		
Egypt: Cairo	Feb. 18-Mar. 11	3	1	Feb. 26-Mar. 4, 1923: One case re- lapsing fever.
Port Said	May 6-12	1		labourg to ter
Finland	Apr. 16-30	3		
San Luis Potosi	May 20-26		1	
Jaffa Turkey:	May 1-7	2		
Constantinople	Apr. 22-May 5		75	
Cape Province	Apr. 15-21			Outbreaks.
Yugoslavia: Serbia—				
Belgrade	Apr. 8-May 5	8		

YELLOW FEVER.

Colombia: Bucaramanga	May 3-19	39	2	Declared epidemic by Colombian Government, May 20, 1923.
				17.5.1

Reports Received from December 30, 1922, to June 8, 1923.1

CHOLERA.

Place.	Date.	Cases.	Deaths.	Remarks.
China: Liutaoku. Chosen (Korea): Yalu River Region.	Sept. 22	60	20	Sept. 22, 1922: 30 deaths reported.
India				Sept. 24-Dec. 30, 1922; Cases.
Bombay	Oct. 27-Dec. 23	2 5	1	14,637; deaths, 8,833. Dec. 31,
Do	Feb. 4-Mar. 31		5	1922-Apr. 7, 1923: Cases, 18,401,
Calcutta		102	60	deaths, 11,816.
Do		395	280	
Madras	Nov. 19-Dec. 16	4	2	
Do	Jan. 21-Apr. 7	13	6	
Rangoon	Nov. 12-Dec. 23	17	10	
Ďo	Dec. 31-Apr. 7	16	10	
Philippine Islands: Province—	•			
Laguna	Oct. 12-18	1		
Zamboanga	Feb. 11-17	. 1	1	
Russia				Jan. 1-Oct. 7, 1922: Cases, 83,367.
Archangel (Government)	Oct. 1-7	7		
Moscow	Jan. 1-31	1		
Tashkent	Oct. 1-7	27		Turkestan Republic: 3 cases re-
Addition				ported on waterways.
Ukraine				Sept. 1-30, 1922: Cases, 119.
Donetz (Government)	Sent 1-30	29	*********	Cope 1 00, 1952. Cabo, 119.
Tchernigov (Govern-		36	**********	
ment).		- 00	***********	
Siam:				
Bangkok	Oct. 29-Dec. 23	4	1	
	Dec. 31-Apr. 14	10	3	
Do	Dec. 31-Apr. 14	10	3	

¹ From medical officers of the Public Health Service, American consuls, and other sources.

Reports Received from December 30, 1922, to June 8, 1923—Continued.

PLAGUE.

			1	
Place.	Date.	Cases.	Deaths.	Remarks.
Argentina: Rosario.	Feb. 10-27	8	3	
A nores:	A CO. 10 21			
Faval Island—				
Castelo Branco	Dec. 2-31 Mar. 12-18		3	Vicinity of Horta. Dec. 30, 1922
Do	Mar. 12-18 Mar. 23	2		Several cases. Actual occurrence about Mar. 6
Horta	Mat. 23	1		1923.
Pico Island—	Nov. 27-Dec. 15		8	
St. Michael Island				Nov. 12-Dec. 30, 1922: Cases, 100
Ponta Delgada	Nov. 26-Dec. 9	3		Nov. 12-Dec. 30, 1922: Cases, 100 deaths, 35. At localities 3-1 miles from Ponta Delgada Dec. 31, 1922-Feb. 24, 1923 Cases, 125; deaths, 52. From 6 to 20 miles distant from por of Ponta Delgada.
Brazil:				
Bahia	Oct. 29-Dec. 30	5	5	
Do	Jan. 28-Feb. 3	1 3	1 2	
Pernambuco Porto Alegre British East Africa:	Jan. 14-20 Nov. 19-25	1	2	
Kenya Colony— Tanganyika Territory	Oct. 15-Dec. 16	12	7	
Do	Jan. 14-Feb. 10	ii	10	
Uganda				Dec. 1-31, 1922: Cases, 141:
Entebbe	Nov. 24-30	211	202	Dec. 1-31, 1922: Cases, 141: deaths, 129. Jan. 1-31, 1923: Cases, 73; deaths, 73.
Canary Islands				Cases, 73; deaths, 73. Jan. 15-Mar. 17, 1923; Cases, 8; deaths, 7. Apr. 13, 1923; Present. Rodent plague present, FebMar., 1923.
Celebes: Macassar	Feb. 15			Present, bubonic; epidemic, pneumonic.
Ceylon:				
Colombo	Nov. 12-Dec. 30 Dec. 31-Apr. 14	46 85	38 72	Plague rodents, 16. Plague rodents, 31.
Chile: Antofagasta				Quarantine. Year, 1922: March, 1 case; May, 1 case.
china:	Nov. 5-Dec. 23	14	10	
Hongkong Do Manchuria—	Dec. 31-Mar. 3	3	12	
Harbin	Jan. 29-Feb. 4	7		
Ceuador: Guayaquil	Nov. 1-Dec. 31	9	3	Rats examined, 21,000; found
Do	Jan. 1-Apr. 15	25	11	infected, 90. Rats examined, 26,900; found infected, 134.
Sabanilla	Mar. 1-15	1		Country estate.
EgyptCity—				Country estate. Jan. 1-Dec. 28, 1922; Cases, 485; deaths, 228. Jan. 1, 1922-Jan. 4, 1923; Cases, 487; deaths, 228. Jan. 1-Mar. 29, 1923; Cases, 134; deaths, 69. Mar. 19-25, 1922; Cases, 50—Assiout, 29; Fayoum, 4; Girsch 17.
Alexandria	Nov. 19-23	2		4, 1923: Cases, 487; deaths, 228.
Do	Jan. 8-10 Nov. 19-27	1	1	deaths 60 War 10-25 1929:
Port Said Do	Ion %-Mar 5	4 2	2	Cases 50—Assignt 29: Favour
Suez.	Jan. 26-Mar. 5 Nov. 18-Dec. 5	3	4	4; Girgeh, 17.
Do	Mar. 2	1	1	
Province-				
Assiout	Nov. 19-Dec. 29 Jan. 26-Mar. 20	56	28	Septicemic: 1 case, 1 death. Pneumonic, 8 cases, 4 deaths; bubonic, 36 cases; septicemic, 5 cases, 1 death.
Dakahlieh	Dec. 3	1	1	Pneumonic.
Fayoum	Dec. 3	3	i	Bubonic.
Girgeh	Mar. 24-27	6	4	Bubonic, 4; septicemie, 2.
Kena	Mar. 8	1	1	Pneumenic: 1 death.
Minieh	Nov. 18–27 Feb. 24	2	1	
Do	Feb. 24		1	
lawaii: Honokaa				Feb. 8-9, 1923: Plague rats, 3.
Do				Mar. 24-25, 1923: Plague rats, 2. In vicinity Pacific Sugar Co.,
Pohakea	J			near Honokaa. Apr. 15, 1923: Plague rat.

Reports Received from December 30, 1922, to June 8, 1923-Continued.

PLAGUE-Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
				Oct 1-Dec 30 1922: Cases
India	Oct. 27-Dec. 30	41	32	25,007; deaths, 18,803. (Report
Bombay	Dec. 31-Apr. 7	576	456	Oct. 1-Dec. 30, 1922; Cases 25,007; deaths, 18,803. (Report for Nov. 19-25, 1922, not re- ceived.) Dec. 31, 1922-Mar. 31,
Do Calcutta	Feb. 11-Apr. 28	39	39	ceived.) Dec. 31, 1922-Mar. 31.
Karachi	Dec 10-16	1	1	1923: Cases, 88,550; deaths, 77,594.
Do	Dec. 10–16 Dec. 31–Apr. 21	144	114	77,594.
Madras Presidency	Nov. 19-Dec. 30	2,269	1,448	
Do	Dec. 31-Apr. 21	5, 769	5, 162	
Madras	Nov. 19–25	1	1	
Do	Jan. 21-27	1	1	
Rangoon	Nov. 12-Dec. 30	52	49	
Do	Dec. 31-Apr. 7	428	391	
Iraq (Mesopotamia):				
Bagdad	Oct. 1-Nov. 30	16		
Do	Jan. 1-Mar. 31	21		1 D 1 m 1
Sumaichah	Mar. 14		30	Among Beni - Tenim tribes in vicinity. Locality about 30 miles from Bagdad.
Japan:				July 1-Nov. 30, 1922: Cases, 70. Oct. 1-Nov. 3, 1922: Cases, 900; deaths, 763. Jan. 1-Mar. 31,
Osaka Java				Oct. 1-Nov. 3, 1922: Cases, 900;
Java				deaths, 763. Jan. 1-Mar. 31,
				1923: Cases, 1,993; deaths, 2,052.
East Java				Dec. 1-31, 1922: Deaths, 990.
Residences—				
Pekalongan	Dec. 1-31	56		
Samarang	Oct. 22-Dec. 31	202		
Soerabaya	Oct. 22-Dec. 31	34	14	In 17 00 1000; Cases & deaths
Do	Jan. 14-20	2	2	Jan. 17-23, 1923: Cases, 5; deaths,
	Oct. 29-Dec. 16	18	18	Not a seaport.
Soerakarta-	Nov. 4			Present in epidemic form.
Klaten	Nov. 4	*******		Jan. 1-Dec. 10, 1922: Cases, 143.
Madagascar				Jan. 1-Mar. 31, 1923: Cases, 185;
Provinces—				deaths, 130.
Antisirabe	Jan. 16-Feb. 15	2	2	Bubonic and septicemic.
Diego Suarez	Jan. 1-Mar. 31	6	4	Do.
Moramanga				To Nov. 12, 1922: Cases, 24; deaths, 21. Cases reported to
and annuage				deaths, 21. Cases reported to
				Oct. 30, pneumonic.
Amparafara region .	Sept. 18-Nov. 5	21		Bubonic, 18; septicemic, 3 (doubtful, 2).
· · · · · · · · · · · · · · · · · · ·				(doubtful, 2).
Moramanga	Dec. 6-9	3		Bubonic.
Tamatave	Feb. 10-Sept. 12	10		Do.
Do	Mar. 1-15	1	1	Septicemic. Dec. 14, 1922-Jan. 1, 1923: 1 case
Miarinarivo				(European).
				Ion 1-Dog 10 1099: Cases 72
Tananarive				(bulyonic 27: proumonic 8:
				Jan. 1-Dec. 10, 1922: Cases, 73 (bubonic, 37: pneumonic, 8; septicemic, 28). Jan. 1-Mar. 31, 1923: Cases, 152; deaths, 113. Bubonic, pneumonic, septi-
*	Now 10 Per 0	9		cemic. Bubonic, 3; pneumonic, 3; septi-
Ambohimangakeley	Nov. 19-Dec. 9	9		cemic, 3.
Anketrina	Mar. 27-May 9	11		Bubonic, 4; pneumonic, 2; septicemic, 5 (3 doubtful).
Fenoarivo region	Oct. 7-Nov. 28	16		cemic, 5.
Tananarive	Oct. 23-Dec. 10 Dec. 14-Mar. 31	26	5 10	1 septicemic. Bubonic and septicemic.
Mauritius				Year 1922: Cases, 98; deaths, 73. January, 1923: Cases, 18.
Mexico: Tampico	Mar. 23	2	1	Plague rodent found, Mar. 14,
Palestine:				
Jaffa	Nov. 27-Dec. 4	1		1 1 1 01 1000 G
Peru				Nov. 1-Dec. 31, 1922: Cases, 199; deaths, 93.
Do				Jan. 1-Apr. 15, 1923: Cases, 418;
Localities—				deaths, 194.
Barranco	Feb. 1-15	1		
Callao	Mar. 1-31	i		4 - 4 - 4 - 4 - 4
		56		Including vicinity.

Reports Received from December 30, 1922, to June 8, 1923-Continued.

PLAGUE-Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Peru—Continued.				
Localities -Continued.			1	
Canete	Jan. 1-Apr. 15	37	18	Including vicinity.
Casma	Jan. 1-31	i		At Campina.
Cotococo	Jan. 1-Mar. 31	10	3	At Campina.
Catacaos		1	0	
Cerro Azul	Apr. 1-15	2		Descript Nov. 0 17 1000
Chepen	Dec. 16-31	2	1	Present, Nov. 9-15, 1922.
Chiclayo (city and country).	Jan. 1-Mar. 31 Nov. 16-Dec. 15	17	7	
Do.	Jan. 1-Apr. 15	37	19	
Do	Feb. 16-Apr. 15	67	49	
Cutervo	Nov. 16-Dec. 15	0,	40	
Eten		22	12	
Guadeloupe	Nov. 1-Dec. 31			
Do	Jan. 1-31	4	1	
Huacho	Nov. 16-Dec. 31 Jan. 1-Apr. 15	4	2	
Do	Jan. 1-Apr. 15	29	6	
Huancabamba	Apr. 1-15	1		
Huara	Jan. 1-Feb. 15	8		Country.
Huaral	Nov. 16-30	1		
Do	Jan. 1-Feb. 28	4	2	
Huarmey		2	2	
	Feb. 1-Apr. 15	10	-	
Do	Non to Dec 91		**********	
Jayanca	Nov. 16-Dec. 31	10	8	
Lambayeque	do	7	3	
Do	Jan. 1-Feb. 15	10	7	
Lima (city)	Nov. 1-Dec. 31 Jan. 1-Apr. 15	11	8	
Do	Jan. 1-Apr. 15	11	4	
Lima (country)	Nov. 1-Dec. 31	14	5	
Do		12	4	*
Do	Dec. 1-15			
Lurin	176C. 1-13	1	*******	
Magdalena del Mar	Nov. 16-30	1	********	
Magdalena del Mar Do	Jan. 1-31	1	1	
Magdalena Vieja	Dec. 16-31	1	1	
Mala	Dec. 1-31	2		
Do	Jan. 1-31	4		
Miraflores	Jan. 1-Feb. 15	5	2	
Mochumi	Dec. 16-31	3	3	
Do	Pah 1-Mar 31		2	
Do	Feb. 1-Mar. 31 Mar. 1-31		-	
Mollendo	Pale 1 15	1		
Monsefu	Feb. 1-15	5	3	
Mosche	Nov. 16-30	2	1	
Paita	Dec. 16-31	3	2	
Do	Jan. 1-Mar. 31	17	12	
Piura	Nov. 16-Dec. 31 Jan. 1-Mar. 31	12	7	
Do	Jan. 1-Mar. 31	23	10	
Pueblo Nuevo	Dec. 1-31	7	4	
Do	Jan. 1-31	10	6	
Salaverry	Apr. 1-15	2	1	
Can Dadas	Nov. 1-Dec. 31	8	1 4	
San Pedro	Jan. 1-Feb. 28	7	4	
Do	Jan. 1-Feb. 25		•	
Santa Cruz (Hualga-	m 1 44 40			
yoc)	Feb. 16-28	19	15	4
Sullana	Nov. 16-30	3	3	
Do	Jan. 1-31	1	1	
Trujillo	Nov. 1-Dec. 31 Jan. 1-Mar. 31	3	1	
Do	Jan. 1-Mar. 31	66	1 17	District.
Tuman	Nov. 16-30	3		2-10-11-10-1
	Apr. 1-15	i		
Viru	Apr. 1-10		*******	
Portugal:	Nov. 10.00	4	2	
Lisbon	Nov. 10-29		ī	
Oporto	Jan. 21-27		1	
Portuguese West Africa:			1 1	
Angola—	1		1	15
Loanda	Oct. 1-Dec. 30		45	Fatal cases among white popula
Appendigues	Dec 31-Feb 3	2	2	tion.
Do	200.01 100.0	-	-	
Londa Do				Dec 2 1922 Feb 16 1922 Canad
lussia:				Dec. 2, 1922-Feb. 16, 1923: Cases
Do				
lussia:				116 (pneumonic), occurring in
Russia: Kirghiz Republic				116 (pneumonic), occurring in 2 out of 6 governments.
Russia: Kirghiz Republic	Nov. 12-Dec. 23	5	5	2 out of 6 governments.
Russia: Kirghiz Republiciiam: Bangkok	Nov. 12-Dec. 23 Dec. 31-Apr. 14		5 92	116 (pneumonic), occurring in 2 out of 6 governments.
Russia: Kirghiz Republiciiam: Bangkok	Nov. 12-Dec. 23 Dec. 31-Apr. 14	5 110		116 (pneumonic), occurring in 2 out of 6 governments.
Russia: Kirghiz Republiciam: Bangkok	Dec. 31-Apr. 14	110		2 out of 6 governments.
Russia: Kirghiz Republiciiam: Bangkok	Nov. 12-Dec. 23 Dec. 31-Apr. 14 Nov. 15-Dec. 18			116 (pneumonic), occurring in 2 out of 6 governments. Sept. 24-Nov. 14, 1922: Cases, 23 deaths, 9.

Reports Received from December 30, 1922, to June 8, 1923—Continued.

PLAGUE-Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Straits Settlements:				
Singapore	Dec. 17-23 Jan. 21-Apr. 14	15	13	
Syria:				
Beirut	Nov. 6-30	4	3	
Ben-Gardane Turkey:	Apr. 21	21		
Constantinople	Nov. 22-28 Jan. 28-Feb. 10	2 2		
Union of South Africa: Transvaal—				
Klipfontein Farm	Dec. 16	2	1	Natives. Jan. 25, 1923: Plague- infected wild rodent found in vicinity.
Do	Apr. 23			Present.
West Africa: Senegal—				
Ďakar	Feb. 1-Apr. 30	3	3	
On vessels: S. S. Helcion	Dec. 1	1		At Thursday Island Quarantine,
		•		Australia, from Singapore, Straits Settlements. In Chi- nese firemen.
s. s. —	Dec. 30	••••••		At port of London: Plague- infected rats and cats found in grain cargo on vessel from South America.

SMALLPOX.

Dec. 1-10	7		
Nov. 19-Dec. 23 Jan. 7-Mar. 31	7		
Jan. 7-Mar. 31		1	
Jan. 7-Mar. 31			
		3	
Apr. 26	23	2	
			Present. (Reported as alastrim.)
Jan. 1-Mar. 31	17	15	
		1	
Dec. 31-Apr. 14	56	25	
Oct. 16-22	1	1	
Jan. 8-Feb. 18	5	1	
Mar. 25-31	1		
Oct. 8-Dec. 23	193	10	
Jan. 7-Mar. 17	56	2	
Sept. 1-Dec. 31	3	1	Jan. 1-31, 1923: Cases, 3; deaths, 1.
Nov. 24-30	3	3	, , , , , , , , , , , , , , , , , , , ,
Mar. 4-10	1		
Mar. 18-24	1		
Dec. 10-30	14		
	68		
	-		
Jan. 21-Feb. 17	8		
	-		
Mar 11-17	1	1	
			Dec. 1-31, 1922: Cases, 51; deaths,
Dec. 31-Feb. 24	7		1. Jan. 1-Apr. 30, 1923: Cases,
			121.
	Apr. 26. Jan. 1-Mar. 31. Nov. 5-11. Mar. 4-31. Feb. 12-Mar. 25. Jan. 21-Apr. 21. Nov. 25-Dec. 30. Dec. 31-Apr. 14. Oct. 16-22. Jan. 8-Feb. 18. Mar. 25-31. Oct. 8-Dec. 23. Jan. 7-Mar. 17. Sept. 1-Dec. 31. Nov. 24-30. Mar. 4-10. Mar. 18-24. Dec. 10-30. Jan. 21-Feb. 17. Mar. 11-17. Dec. 31-Feb. 24. Dec. 31-Feb. 24. Dec. 31-Feb. 24.	Apr. 26. Jan. 1-Mar. 31	Apr. 25. Jan. 1-Mar. 31

Reports Received from December 30, 1922, to June 8, 1923-Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Canada—Continued.				
Ontario-Continued.			1	
Ottawa	Dec. 10-23	6		
_ Do	Jan. 7-Mar. 31	21	1	
Terento	Dec. 10-30	2		
Do	Feb. 4-10	1	********	
Quebec-	Jan. 14-20	3		1
Quebec	Mar. 1-31	9	2	
Saskatchewan—	Mai. 1-01	*******	-	
Regina	Dec. 3-23	2		
Ceylon:	2000	1 -		
Colombo	Nov. 12-Dec. 24	9	4	1 case, 1 death outside city.
Do	Feb. 18-Apr. 14	5		
Chile:				!
Antofagasta	Apr. 1-7	1		
Concepcion	Oct. 30-Dec. 25	3	7	Mar 1 1 00 1000 David - 0
Valparaiso	Feb. 1-Apr. 9 Oct. 2-Dec. 30	3	153	Mar. 1-Apr. 30, 1923: Deaths, 9. In hospital Dec. 26, 1922, 83 cases. Dec. 31, 1922-Jan. 27, 1923: Deaths, 66. Feb. 16, 1923: 80
Do	Jan. 9-Feb. 10		90	Dec 21 1922 Inn 27 1922
D0	Jan. 5-1 Cb. 10		00	Douths 66 Fab 16 1922 Sc
				cases present (estimated). Jan.
		1	1	29-Mar. 18, 1923: Deaths, 106.
China:		1	1	25 2551 10, 10251 204112, 1001
Amoy	Nov. 5-Dec. 23		3	Nov. 26-Dec. 30, 1922: Present.
Do	Jan. 7-Apr. 14 Nov. 13-Dec. 10		13	
Antung	Nov. 13-Dec. 10	2		
Do	Feb. 26-Mar. 4			
Canton	Oct. 1-Nov. 30			Prevalent.
Do	Jan. 21-Feb. 17	1		Present.
Changsha	Feb. 11-17 Nov. 5-Dec. 30	1		Do.
Do	Dec 31-Apr 14			Do.
Foochow	Dec. 31-Apr. 14 Nov. 12-Dec. 30			Do.
Do	Dec. 31-Apr. 7			Do.
Hankow	Dec. 31-Apr. 7 Dec. 31-Jan. 20	4	1	
Hongkong	Nov. 5-11		1	
Do	Dec. 31-Mar. 31	38	28	
Manchuria—				
Dairen	Apr. 2-22 Nov. 20-Dec. 31	4	********	
Harbin	Nov. 20-Dec. 31	13		
Mukden	Jan. 8-Apr. 8 Nov. 19-Dec. 16			Do.
Do	Jan. 7-Feb. 3			Do.
Nanking	Nov. 5-Dec. 23			Do.
Do	Jan. 7-Apr. 14			Do.
Shanghai	Jan. 15-29	8	10	Cases, foreign: deaths, Chinese.
Tientsin	Feb. 18-Apr. 7	2		Reported from foreign office.
Chosen (Korea):	O-1 1 D 01	***		
Chemulpo	Oet. 1-Dec. 31 Jan. 1-Mar. 31	135	92	
Fusan	Nov. 1-Dec. 31	4	21	
Do.	Jan. 1-Mar. 31	15	2	
Gensan	Dec. 1-31	6	2	
Do	Mar. 1-31	2	ī	
Seoul	Oct. 1-Dec. 31	19	1	
Do	Jan. 1-Mar. 31	91	34	
Colombia:				
Buenaventura	Jan. 25-Feb. 20	48		Estimated, 50 cases present; type
				mild; among colored popula- tion. Feb. 16-26, 1923; 6 to 9 cases 2 miles from town limits.
				cases 2 miles from town limits
Santa Marta	Apr. 18			Mild outbreak.
Cuba:	A pr. 40		*********	and outbreak.
Province—				
Camaguey	Nov. 11-Dec. 31	20		
Matanzas	Jan 1-31	2		
Oriente	Nov. 21-Dec. 31	22		
Do	Jan. 1-Feb. 10	10		
Santa Clara	Dec. 21-31	1		0
Czechoslovakia				Oct. 1-31, 1922: Cases, 3. Jan. 1-
Province-	0 4 1 01			31, 1923: Cases, 3.
Bohemia	Oct. 1-31	1		
Moravia	Oct. 1-Nov. 30	1 2	*********	
Slovakia				

Reports Received from December 30, 1922, to June 8, 1923—Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Dominica (West Indies)				Feb. 26-May 7, 1923: Present with several thousand case (estimated) reported Feb. 26 Reported as alastrim.
Dominican Republic:		1		reported as a astrim.
Puerto Plata	Dec. 14-30	2		
Santo Domingo	Dec. 3–16 Feb. 28–Mar. 6			Present.
Do San Pedro de Macoris	Feb. 28-Mar. 6	3		
Ecuador:		2	*********	
BabahoyoGuayaquil	Apr. 1-15	10		
Do		11		
Egypt:				
Alexandria	Feb. 19-May 5	2		
Port Said	Jan. 21-27	1		1
Cairo	Jan. 29-Feb. 18	3		0-1 1 De- 01 1000 C 01
Esthonia				Oct. 1-Dec. 31, 1922; Cases, 61 Jan. 1-Mar. 31, 1923; Cases, 34
France:				
Paris	Dec. 1-10	1		
Do Germany:	Mar. 4-10			
Bremen	Dec. 3-9	1		
Liverpool	Dec. 11-17	1		From vessel.
Do	Apr. 22-May 12	4		From S. S. Oak Branch, from
London	Nov. 26-Dec. 23	3		South American ports, 2 cases.
Nottingham	Nov. 19-Dec. 13 Jan. 7-Apr. 14	4		South American ports, 2 cases May 6-12, 1923: On vessels, of
Do	Jan. 7-Apr. 14	17		which one from Antwerp, one coastwise, 2 cases.
Kajamata	Jan. 13-Feb. 13		1	Countries, a cases
Patras	Jan. 21-Mar. 31		93	
Saloniki	Nov. 6-Dec. 31	6	5	
Do	Jan. 15-Apr. 1	12	5	T-11-1-1-1-1-1000
Zante	Jan. 7-14	13	4	Epidemic, Jan. 17, 1923.
Guadajoupe (West Indies) Guatemaja:	Jan. 1-14			Feb. 26, 1923: Present. Reported
Guatemala City	Feb. 23			
Honduras				Apr. 17, 1923: Outbreak in inte-
ndia				rior. Nov. 5-Dec. 30, 1922: Cases, 5,783;
Bombay	Nov. 5-Dec. 30	22	10	deaths, 333. Dec. 31, 1922-Apr.
Do	Dog 31-Amr 7	397	176	7, 1923; Cases, 29,041; deaths,
Calcutta	Nov. 12-Dec. 30	46	23	6,948.
Do	Nov. 12-Dec. 30 Dec. 31-Apr. 28 Nov. 26-Dec. 30	192	99	
Karachi Do	Dec. 31-Apr. 21	76	33	
Madras	Nov. 12-Dec. 30	71	23	
Do	Dec. 31-Apr. 21	342	113	
Rangoon	Nov. 5-Dec. 30 Jan. 7-Apr. 7	27	6	
Do	Jan. 7-Apr. 7	397	166	
raq (Mesopotamia): Bagdad	Oct. 1-Nov. 30	568	361	
Do	Jan. 1-Mar. 31	38	50	
taly:	van. 1 mm. 01	1	00	
Catania	Apr. 16-22	1		
Turin	Jan. 29-Apr. 29	23		
Genoa	Apr. 1-10	1		From vessel.
amaica Kingston	Mar. 11-Apr. 28	10		Dec. 31, 1922-Apr. 28, 1923; Cases, 746. Previously recorded as
apan:		1		alastrim.
Kobe	Jan. 13-May 4	8	2	
Taiwan Island	Mar. 4-10	1	1	
Yokohama	Jan. 22-Mar. 25	2		
ava: East Java—				
Soerabaya	Nov. 5-11			
Do	Feb. 4-Mar. 24	8	1	
West Java—		3		
Batavia	Nov. 11-Dec. 22	25	1	City and Province.
Do	Jan. 27-Apr. 13	67	6	Province.
atvia				Oct. 1-Dec. 31, 1922: Cases, 7.

Reports Received from December 30, 1922, to June 8, 1923—Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Martinique				Mar. 25-Apr. 21, 1923: Present.
Fort de France	Mar. 25-Apr. 21			Reported as alastrim. Present.
Mexico:				
Chihuahua	Dec. 4-17 Jan. 1-May 20	77	29	
Do Guadalajara	Dec. 1-31	4	29	
Do	Jan. 1-Apr. 30	129	47	
Mexico City	Nov. 12-Dec. 23			Including municipalities in Federal District.
Do	Dec. 31-Apr. 28	362		Do.
Nogales	Dec. 10-19 Dec. 31-Feb. 10		1 2	
Saltillo	Jan. 28-Feb. 3		ī	
San Luis Potosi	Jan. 14-20		1	
Do	Apr. 29-May 19		2	Now 1 20 1000 Personal
Sonora, State	Nov. 1-30		1	Nov. 1-30, 1922: Present in north- ern section.
Tabasco, State	140v. 1-30			Present in some localities, Mar.
Torreon	Dec. 1-31		1	26, 1923.
Vera Cruz	Feb. 26-May 6		6	Y 00 FL 1 10 1000 G 0
Palestine				Jan. 23-Feb. 19, 1923: Cases, 8; northern district.
Persia:	D 10.01		2	
Tabriz	Dec. 18-31 Jan. 15-Feb. 28	******	5	
Do Teheran	Oct. 24-Dec. 22	*******	139	
Do	Dec. 20-Jan. 20		56	
Peru				Feb. 1-28, 1923: Cases, 8; deaths,
Callao	Nov. 1-15 Dec. 1-15	3	·····i	1.
Lima (city) Do	Mar. 1-31	2	2	
Lima (country)	Nov. 1-15	2	1	-
Do	Feb. 16-28	2		City and country.
Poland				Oct. 1-Dec. 23, 1922: Cases, 132; deaths, 26. Jan. 1-27, 1923: Cases, 109; deaths, 19.
Portugal:				,,
Lisbon	Nov. 19-Dec. 30	143	34	D 05 01 1000 D 11 10
Oporto	Dec. 31-May 5 Oct. 15-Dec. 30	83 24	88 12	Dec. 25-31, 1922: Deaths, 12; Mar. 26-May 5, 1923: Cases, 97;
Do	Dec. 31-May 12	21	12	deaths, 26. Jan. 5-20, 1923: Cases, 22; deaths,
Portuguese West Africa:				6.
Angola-	Oct. 27-Nov. 11		10	
Loands	Oct. 21-Mov. 11	*******		
Bucharest	Feb. 1-10	1		
Chisinau	Jan. 1-Feb. 28	26		
Galatz	Feb. 1-10	2		
Russia: City—				
Moscow				Jan. 1-31, 1923: Cases treated in
Province—				hospital, 10.
Ukraine	Amp 66			JanSept. 1922: Cases, 8,744. Present.
St. Lucia Island Siberia:	Apr. 26			Present.
Vladivostok	Mar. 1-31	1		Present in Nikolsk, Slassk, and Ussurisk Counties.
Tindi Toston				Ossurisk Counties.
Sierra Leone:				
Sierra Leone: Freetown	Feb. 16-28	1	*******	
Sierra Leone: Freetown				
Sierra Leone: Freetown Spain: Corunna	Nov. 26-Dec. 2		1 4	
Sierra Leone: Freetown. Spain: Corunna. Huelva.	Nov. 26-Dec. 2 Nov. 24-Dec. 31 Dec. 1-31		4	
Sierra Leone: Freetown	Nov. 26-Dec. 2 Nov. 24-Dec. 31 Dec. 1-31 Jan. 1-31		1 1	
Sierra Leone: Freetown Spain: Corunna Huelva Madrid Do Seville	Nov. 26-Dec. 2 Nov. 24-Dec. 31 Dec. 1-31 Jan. 1-31 Nov. 27-Dec. 31		4 1 1 32	
Sierra Leone: Freetown. Spain: Corrunna. Huelva. Madrid. Do. Seville. Do. Do.	Nov. 26-Dec. 2 Nov. 24-Dec. 31 Dec. 1-31 Jan. 1-31 Nov. 27-Dec. 31 Jan. 1-Mar. 11		1 1	
Sierra Leone: Freetown Spain: Corunna	Nov. 26-Dec. 2 Nov. 24-Dec. 31 Dec. 1-31 Jan. 1-31 Nov. 27-Dec. 31 Jan. 1-Mar. 11 Nov. 25-Dec. 23		4 1 1 32	
Sierra Leone: Freetown. Spain: Corrunna. Huelva. Madrid. Do. Seville. Do. Do.	Nov. 26-Dec. 2 Nov. 24-Dec. 31 Dec. 1-31 Jan. 1-31 Nov. 27-Dec. 31 Jan. 1-Mar. 11		4 1 1 32 16	
Sierra Leone: Freetown Spain: Corunna Huelva Madrid Do Seville Do Valencia Do	Nov. 26-Dec. 2 Nov. 24-Dec. 31 Dec. 1-31 Jan. 1-31 Nov. 27-Dec. 31 Jan. 1-Mar. 11 Nov. 25-Dec. 23	3 80	4 1 1 32 16	

Reports Received from December 30, 1922, to June 8, 1923—Continued.

Place.	Date.	Cases.	Deaths.	Remarks
Switzerland—Continued.				
Lucerne	Jan. 1-Mar. 31	22		
Zurich	Nov. 19-Dec. 30	19		
Do	Jan. 14-May 5	68	*******	
Syria:	Nov. 10 Dec 22	38	20	
Aleppo	Nov. 19-Dec. 23	30	6	
Do	Dec. 31-Apr. 14	1		
Beirut	Dec. 11-20 Nov. 1-Dec. 31	97	16	
Damascus	Jan. 1-Feb. 20	22		
Tunis:				
Tunis	Dec. 1-22	2	1	
Do	Jan. 22-Feb. 4	1	1	
Turkey:	N 10 D 10	****	0.4	
Constantinople	Nov. 19-Dec. 16	122	34 465	
Do Union of South Africa	Dec. 31-Apr. 21	416	403	Oct. 1-Dec. 31, 1922: Cases-Col
Union of South Africa				ored, 64; deaths, 1; white, cases
				4.
Do				Jan. 1-Feb. 28, 1923: Cases, 34
				colored, 30; white, 4; deaths,
				(colored).
Cape Province				Oct. 1-Dec. 31, 1922: Cases-Col-
				ored, 48; deaths, 1; white, 4 cases.
Do				Jan. 1-Feb. 28, 1923: Cases, 22
D0	****************	*******		(colored, 18; white, 4). Deaths,
				colored, 2.
Do	Dec. 31-Mar. 17 Jan. 7-13			Outbreaks.
East London	Jan. 7-13	2		
Natal				Dec. 1-31, 1922: Cases,6 (colored). Jan. 1-Feb. 28, 1923: Cases, 7
- Do				Jan. 1-Feb. 28, 1923: Cases, 7;
D.	Feb. 4-10			deaths, 1 (colored). Outbreaks.
Orange Free State	Feb. 4-10			Dec. 1-31, 1922: Cases, 2 (colored).
Do				Jan. 1-31, 1923: Cases, 3 (colored).
Do	Ion 14 Feb 3			Outbreaks.
Southern Rhodesia Transvaal.	Nov. 9-15	3		
Transvaal				Oct. 1-Dec. 31, 1922: Cases, 10. Jan. 1-Feb. 28, 1923: Cases, 2 (col-
Do	**************			Jan. 1-Feb. 28, 1923: Cases, 2 (col-
n-	Dec 21 Mar 21			ored). Outbreaks.
Johannesburg	Dec. 31-Mar. 31 Nov. 1-30 Jan. 1-31	*******	1	Outorcass
Do	Jan. 1-31	1		
Uruguay:				
Montevideo		8		
Yugoslavia				Aug. 1-31, 1922: Cases, 30; deaths
				12. Dec. 31, 1922-Mar. 24, 1923: Cases,
Do	*********	******		567; deaths, 100.
Bosnia-Herzegovina				Dec. 31, 1922-Mar. 24, 1923: Cases,
Croatia—				266; deaths, 35.
Zagreb	Apr. 1-7	1		
Serbia				Aug. 1-31, 1922: Cases, 26. Dec. 31-Mar. 24, 1923: Cases, 70; deaths, 21.
Belgrade	Nov. 12-Dec. 31	10	4	31-Mar. 24, 1923: Cases, 70
Do	Mar. 18-24	1	1	deaths, 21.
On vessels:	Mar. 4-10	1		At Pernambuco, Brazil.
S. S. Bahia S. S. Craftsman	May 6-12	1		At Liverpool from Antwern.
S. S. Crananian	May 0-12			Left, May 19, for Glasgow
				At Liverpool from Antwerp. Left, May 19, for Glasgow; left, May 25, for San Francisco. At Liverpool. Coastwise. At Fremantle, Australia; from Cape Town, South Africa. Antologosta, Chile, Vessel
S. S. Hedsley	Nov. 11	1		At Liverpool. Coastwise.
S. S. Huntress	Nov. 11	1		At Fremantle, Australia; from
0.0.1	Tom 19			Antologosto Chile Vecco
S. S. Junin	Jan. 13	1	********	At Antofagasta, Chile. Vessel proceeded to Arica, Chile, with
				patient on board.
s. s. —	Dec. 17-23	1		At Liverpool.
S. S. Oak Branch	Apr. 22-28	2		At Liverpool, from South Ameri-
with the second second second		-		can ports. (Iquique, Chile Mar. 17; Balbao, Apr. 1, 1923.)
				Mar. 17; Balbao, Apr. 1, 1923.
S. S. Tenyo Maru	Mar. 20	1		At Shanghai, China, from Japan. In steerage passenger.

Reports Received from December 30, 1922, to June 8, 1923—Continued. TYPHUS FEVER.

Place.	Date.	Cases.	Deaths.	Remarks.
Algeria:				
Algiers	Nov. 11-Dec. 31	76	25	
Oran.	Jan. 1-Apr. 30 Jan. 11-20	1 10	1 25	
Austria:	Jan. 11-20	1 1		
Vienna	Jan. 7-17	1		
Bolivia:				
La Paz	Jan. 1-Mar. 31	31	24	
Brazil:	D 00	2	2	
Pernambuco Porto Alegre	Nov. 19- Dec. 16	3	-	
Do	Nov. 19-Dec. 16 Feb. 25-Mar. 3		3	
Bulgaria:	2 001 20 2001 0111			
Sofia	Feb. 4-Apr. 14	7		Paratyphus, 4 cases; 1 death.
Chile:	No. 10 Dec 90	24	5	Non 11 Dec 5 1000 Coos 10
Antofagasta	Nov. 12-Dec. 30 Dec. 31-Apr. 7	4	2	Nov. 11-Dec. 5, 1922: Cases, 10 deaths, 2. Quarantine station
DoConcepcion	Oct 17-Dec. 18		9	October, 1922—1 fatal case or vessel from Valparaiso; Novem- ber, 1922—cases, 7; December, 1922—cases, 9; remaining, Dec. 31, 3 cases.
Do	Dec. 26-Apr. 23		16	Apr. 1-30, 1923: Deaths, 4.
Iquique	Jan. 14-Mar. 31	*******	. 3	
Talcahuano	Nov. 12-Dec. 23	10	6 2	
Do	Jan. 7-Mar. 17 Dec. 3-30	1	9	
Valparaiso Do	Dec. 31-Mar. 18		37	Daily hospital average, Feb. 16,
200000000000000000000000000000000000000				1923, 25 cases.
China:				
Antung	Nov. 13-Dec. 10	7 3		
Do	Apr. 2-22	3	********	
Manchuria— Harbin	Nov. 20-26	7		
Do	Jan. 1-Apr. 1	8		*
uba:				
Matanzas	Dec. 25-31	1	1	
Zzechoslovakia				Jan. 1-Feb. 28, 1923: Cases, 121;
City-	Now 10 05			deaths, 5.
Prague	Nov. 19-25	1		
Province— Bohemia	Nov. 1-30	1		
Russinia	Oct. 1-Dec. 31	25		
Slovakia	Nov. 1-30	2		
Danzig (Free City)	Jan. 7-Feb. 24	2		Including 1 from Poland.
Egypt:	W 10 D 01			
Alexandria	Nov. 19-Dec. 31 Jan. 22-May 5	10	5	Imported, 1.
Cairo	Oct. 1-Dec. 31	19	9	Importos, I.
Do	Jan. 1-Feb. 11	10	5	
Port Said	Mar. 25-31	1		
Esthonia				Oct. 1-Dec. 31, 1922: Cases, 6. Recurrent typhus: Cases, 10.
				Recurrent typhus: Cases, 10.
				Year 1922: Cases, 159; recurrent typhus, 91 cases.
De				Jan. 1-Mar. 31, 1923; Cases, 16,
DoLibau	Dec. 24-30	1		Jan. 1-Mar. 31, 1923: Cases, 16. Recurrent typhus, Jan. 1-31,
Antonia				cases, 4.
Narva				Year 1922: Cases, 140. Recurrent
				typhus: Cases, 83. Feb. 16-Mar. 15, 1923: Cases, 7;
Finland	****************	*******		recurrent typhus, 1.
Prance:				recurrent typinus, x.
Marseille	Mar. 1-31		1	
ermany:				
Berlin	Nov. 26-Dec. 2	******	1	
Coblenz	Dec. 10-16	1		
Do	Mar. 25-31	1		
Dresden	Dec. 10-16 Mar. 24-Apr. 7	2	*******	
Königsberg	mar. at-Apr. f			
Glasgow	Jan. 7-Feb. 17	4	1	
Presce:				
Athens	Mar. 1-20		4	Posses
Corfu Island	Feb. 8			Present.
Leucadia	Jan. 17		*********	Do.
Patras Do	Nov. 19-25 Jan. 1-Mar. 31	3	16	
Piræus	Jan. 1-Mar. 31			Jan. 13-Mar. 31, 1923; Deaths, 12.

Reports Received from December 30, 1922, to June 8, 1923-Continued.

TYPHUS FEVER-Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Greece—Continued. Sajoniki. Do.	Dec. 18-24	3 95	6	Among refugees. Refugees. Recurrent typhus fever, Mar. 12-Apr. 1, 1923 Cases, 4; deaths, 1.
ZanteGuatemaja:	Jan. 17			Present.
Guatemala City Hungary:	Jan. 1-31		1	
Budapest Iraq (Mesopotamia): Bagdad	Jan. 14-Apr. 21		8	
reland:	Feb. 1-Mar. 31		*********	
Beimuliettaly:	June 15-Dec. 14		********	In County Mayo.
Trieste	Feb. 25-Mar. 3	1		Oct. 1-Dec. 31, 1922: Cases, 74 Recurrent typhus: Cases, 10 Feb. 1-Mar. 31, 1923: Cases, 93 Feaurent typhus, 2, cases
Libau	Apr. 25-May 1			Fecurrent typhus, 2 cases paratyphus, 2 cases.
Guadalajara Mexico City	Mar. 1-Apr. 30 Nov. 12-Dec. 30	90 90		Including municipalities in Fed-
Do	Dec. 31-Apr. 28 Jan. 28-Apr. 7		4	eral District. Do.
Rotterdam	Apr. 29-May 12			Dec. 5-25, 1922: Cases, 3; in northern section. Feb. 27-
Jaffa. Do	Dec. 12-18 Jan. 16-Apr. 30	2 8		northern section. Feb. 27- Mar. 5, 1923—1 case in north
Jerusalem	Dec. 26-Jan. 1 Apr. 24-30	1		Mar. 5, 1922—1 case in north ern section. Apr. 17-23, 1923 One case relapsing fever
Paraguay: Asuncion	Jan. 1-27		1	
Tabriz Do	Dec. 18-31		3 1 3	
Do	Feb. 14-29		4	Oat 1 Dec 22 1000 Garage 1 016
Poland				Oct. 1-Dec. 23, 1922: Cases, 1,916, deaths, 130. Recurrent, 19typhus: Cases, 2,971; deaths, 56, Jan. 1-Feb. 24, 1923: Cases, 3,101; deaths, 23. Recurrent typhus: Cases, 897; deaths, 22.
LisbonOporto	Mar. 26-Apr. 1 Oct. 15-Dec. 2	1	1 1 2	
De	Mar. 11-May 12	13		To Jan. 31, 1923: Cases, 96;
Chisinau	Feb. 1-10 Nov. 1-30	5		deaths, 13.
Craiova	Jan. 1-Feb. 28 Feb. 1-10	110		Recurrent typhus: Cases, 33.
Russia				July 30-Sept. 23, 1922: Cases, 23,803.
Moscow Ukraine. Ukraine. Tartar Republic,	Jan. 1-31 JanSept June 1-30	290 307, 329 35, 926		Undetermined cases, 38. Provisional figures.
and Siberia. Do Do Do	July 1-31	17, 262 6, 864 2, 388		Do, Do, Do
iberia: Vladivostok	Nov. P-Dec. 31	5		Remittent, 1 case; indefinite, 6
Do	Jan. 1-Mar. 31	215		cases. Remittent, 1 case; indefinite, 33.
pain: Barcelona	Nov. 30-Dec. 27 Jan. 11-Mar. 28		3 2	
Madrid	Dec. 1-31 Feb. 1-28		1	
yria:	Feb. 1-20			

Reports Received from December 30, 1922, to June 8, 1923—Continued. TYPHUS FEVER—Continued.

Place.	Date.	Cases	. Deaths.	Remarks.
Only Continued				
Syria—Continued. Beirut	Oct. 1-22 Mar. 1-31	8		
Tunis:				
Tanis	. Apr. 16-May 13	1	1	1
Turkey: Constantinople	Nov. 27-Dec. 2 Dec. 31-Apr. 21	196		Mar. 31-Apr. 6, 1923: Many case
Do		100	201	reported.
Union of South Africa				Oct. 1-Dec. 31, 1922: Colored- cases, 3,097: deaths, 298; white- cases, 11: deaths, 2
Do				cases, 11; deaths, 2. Jan. 1-Feb. 28, 1923: Total cases 1,050; deaths, 93. (Colored— cases, 1,037; deaths, 92; white— cases, 13: 1 death.)
Capa Province				cases, 1,037; deaths, 92; white- cases, 13; 1 death.) Oct. 1-Dec. 31, 1922: Colored- cases, 2,799; deaths, 250; white- cases, 6: death. 1.
Do				cases, 6; death, 1. Jan. 1-Feb. 28, 1923: Colored—cases, 853; deaths, 72; white—cases, 1 death.
Do	Dec. 31-Mar. 31			Outbreaks.
Port Elizabeth	Jan. 28-Feb. 10	3		
Natal				Oct. 1-Dec. 31, 1922: Colored—cases, 143; deaths, 32; white—cases, 2.
Do				cases, 38; deaths, 3; white—1
Do	Feb. 4-Mar. 31			case. Outbreaks.
Orange Free State		******		Oct. 1-Dec. 31, 1922: Colored—cases, 91; deaths, 8; white—cases, 3; deaths, 1. Jan. 1-Feb. 28, 1923: Colored—cases, 92; deaths, 7; white—cases, 92; deaths, 9; white—cases, 9; deaths, 9;
Do		•••••		cases, 3; deaths, 1. Jan. 1-Feb. 28, 1923: Colored— cases, 93; deaths, 7; white—2 cases.
Do Transvaal	Jan. 7-Mar. 31			Outbreaks. Oct. 1-Dec. 31, 1922; Colored—
Do		******		cases, 64; deaths, 8. Jan. 1-Feb. 28, 1923: Colored—cases, 53; deaths, 11; white—cases, 2.
Do	Jan. 14-Mar. 17			cases, 2. Outbreaks,
Do Johannesburg	Nov. 1-30	3	6	Outbreaks.
Venezuela:	Jan. 1-Feb. 28	38	8	
Maracaibo Yugoslavia	Jan. 21-27		1	Dec. 31, 1922-Mar. 24, 1923: Cases, 106; deaths, 20.
Bosnia-Herzegovina	Aug. 1-31 Dec. 31-Mar. 24	1 51		Recurrent fever, 1 case.
Croatia— Zagreb	Apr. 1-7	2		
Serbia				Aug. 1-31, 1922: Recurrent ty- phus fever: Cases, 4. Dec. 31-
Belgrade	Mar. 18-Apr. 7	2		phus fever: Cases, 4. Dec. 31- Mar. 24, 1923: Cases, 25.
	YELLOW	FEVE	R.	
Brazil:				
BahiaColombia: Bucaramanga	Dec. 31-Apr. 14	82	25	Outbreak of epidemic reported
				Mar. 12, 1923; information show- ing diagnosis of yellow fever re- ceived under date of May 16, 1923.
Mexico: Ciudad Victoria Tampico West Africa:	Dec. 17-23 Jan. 15.	1		Reported on bills of health.
Gold Coast— Saltpond				Reported present Dec. 21,1922.
Nigeria— Warrai				Do.
